



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 7/24/2020

OVENTEMP IN Celsius(°C): 108
Time IN: 17:00
In Date: 07/23/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:11
Out Date: 07/24/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB110171

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
L3362-02	SOIL-PILE	1	1.18	9.58	9.14	94.8	
L3362-04	RBR-59	2	1.19	9.84	9.22	92.8	
L3382-01	CTR-007	3	1.18	9.93	9.57	95.9	
L3382-02	CTR-007	4	1.12	9.92	9.58	96.1	
L3382-05	CTR-020	5	1.17	9.8	8.8	88.4	
L3382-06	CTR-020	6	1.15	9.75	8.81	89.1	
L3382-09	CTR-023	7	1.15	9.96	9.31	92.6	
L3382-10	CTR-023	8	1.17	9.92	9.55	95.8	
L3382-13	CTR-005	9	1.16	9.88	9.34	93.8	
L3382-14	CTR-005	10	1.12	9.69	9.2	94.3	
L3382-17	CTR-011	11	1.14	9.53	8.97	93.3	
L3382-18	CTR-011	12	1.16	9.88	9.36	94.0	
L3382-21	CTR-024	13	1.13	9.98	8.64	84.9	
L3382-22	CTR-024	14	1.18	9.94	7.34	70.3	
L3383-01	CRT-013	15	1.18	9.56	8.95	92.7	
L3383-02	CRT-013	16	1.17	9.8	9.02	91.0	
L3383-05	CRT-018	17	1.15	9.95	9.56	95.6	
L3383-06	CRT-018	18	1.19	9.59	8.96	92.5	
L3383-09	CRT-009	19	1.15	9.97	9.11	90.2	
L3383-10	CRT-009	20	1.16	9.75	8.83	89.3	
L3383-13	CRT-022	21	1.18	9.82	9.62	97.7	
L3383-14	CRT-022	22	1.18	9.66	9.44	97.4	
L3383-17	CRT-008	23	1.19	9.66	9.44	97.4	
L3383-18	CRT-008	24	1.17	9.94	9.67	96.9	
L3383-21	CRT-015	25	1.14	9.7	9.24	94.6	
L3383-22	CRT-015	26	1.18	9.68	9.26	95.1	
L3383-25	CRT-014	27	1.16	9.66	9.38	96.7	
L3383-26	CRT-014	28	1.19	9.78	9.51	96.9	



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 7/24/2020

OVENTEMP IN Celsius(°C): 108
Time IN: 17:00
In Date: 07/23/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:11
Out Date: 07/24/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB110171

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
L3383-29	CRT-002	29	1.19	9.72	9.43	96.6	
L3383-30	CRT-002	30	1.12	9.52	9.22	96.4	
L3394-01	WASTE	31	1.19	9.79	9.25	93.7	
L3394-02	VOC	32	1.15	9.6	8.88	91.5	
L3394-03	1	33	1.15	9.95	9.55	95.5	
L3394-04	2	34	1.19	9.52	8.89	92.4	
L3394-05	3	35	1.17	9.66	9.04	92.7	
L3394-06	4	36	1.14	9.58	8.97	92.8	
L3394-07	5	37	1.17	9.91	9.28	92.8	
L3408-01	PS-DRUM	49	1.18	9.62	9.38	97.2	
L3408-02	PS-DRUM	50	1.17	9.68	9.41	96.8	
L3409-01	354	51	1.18	9.15	8.54	92.3	
L3409-02	354	52	1.17	9.82	9.12	91.9	
L3410-01	FM-CON-A	38	1.00	2.00	2.00	100.0	concrete SAMPLE,100% SOLIDS
L3410-02	FM-CON-B	39	1.00	2.00	2.00	100.0	concrete SAMPLE,100% SOLIDS
L3411-01	COMP-31076-31074	53	1.18	9.72	6.58	63.2	
L3411-03	31076	54	1.1	9.85	7.54	73.6	
L3411-04	31074	55	1.00	2.00	2.00	100.0	OILY DEBERIS,100% SOLIDS
L3412-01	DUCK-BANK	56	1.12	9.58	8.88	91.7	
L3412-02	DUCK-BANK-EPH-2	57	1.1	9.71	9.00	91.8	
L3413-01	20750	58	1.18	9.6	9.33	96.8	
L3413-02	20751	59	1.14	9.94	9.91	99.7	
L3413-03	20752	60	1.1	9.65	9.42	97.3	
L3413-04	20753	61	1.19	9.8	9.28	94.0	
L3414-01	61820	62	1.14	9.81	9.41	95.4	
L3414-02	61820	63	1.13	9.51	9.13	95.5	
L3415-01	TT-023-IDWSO-20200722	40	1.18	9.97	8.46	82.8	
L3415-02	TT-024-IDWSO-20200722	41	1.16	9.97	8.07	78.4	



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 7/24/2020

OVENTEMP IN Celsius(°C): 108
Time IN: 17:00
In Date: 07/23/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:11
Out Date: 07/24/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB110171

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
L3418-01	C0AE8	42	1.17	9.96	4.92	42.7	
L3418-02	C0AE9	43	1.18	9.97	8.63	84.8	
L3418-03	C0AF0	44	1.15	9.92	7.29	70.0	
L3418-04	C0AF1	45	1.18	9.77	5.93	55.3	
L3418-05	C0AF2	46	1.17	9.94	7.52	72.4	
L3418-06	C0AF3	47	1.13	9.61	4.24	36.7	
L3418-07	C0AF8	48	1.17	9.67	8.05	80.9	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$