



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB110227

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L3181-06	CL-01-072720	1	100.03	0.00	07/29/2020	10:45
2	L3181-06DUP	CL-01-072720DUP	1	100.02	0.00	07/29/2020	10:52
3	L3183-18	OK-02-072820	1	100.01	0.00	07/29/2020	11:00
4	L3185-01	PL-05-072720	1	100.08	0.00	07/29/2020	11:10
5	L3473-03	TP-2-S	1	100.05	0.00	07/29/2020	11:18
6	L3473-09	TP-2-D	1	100.06	0.00	07/29/2020	11:25

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf72920

WorkList ID : 140953

Department : Wet-Chemistry

Date : 07-29-2020 10:28:33

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
07/27/2020	Solid	L3181-06	Paint Filter	Cool 4 deg C	PSEG05		CL-01-072720	07/27/2020	9095B
07/28/2020	Solid	L3183-18	Paint Filter	Cool 4 deg C	PSEG05		OK-02-072820	07/28/2020	9095B
07/27/2020	Solid	L3185-01	Paint Filter	Cool 4 deg C	PSEG05	I31	PL-05-072720	07/27/2020	9095B
07/28/2020	Solid	L3473-03	Paint Filter	Cool 4 deg C	PSEG01	I33	TP-2-S	07/28/2020	9095B
07/28/2020	Solid	L3473-09	Paint Filter	Cool 4 deg C	PSEG01	I33	TP-2-D	07/28/2020	9095B

Date/Time 07/29/2020 10:30
 Received by: KS (wetchem)
 Relinquished by: JS (wilt mem)

Date/Time 07/29/2020 11:30
 Received by: JS (wilt mem)
 Relinquished by: KS (wetchem)