



## Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB110411

BalanceID: WC SC-4

| Seq | LabID       | ClientID        | Dilution | Weight(g) | Inst.Conc<br>(ml/100g) | Anal Date  | Anal Time |
|-----|-------------|-----------------|----------|-----------|------------------------|------------|-----------|
| 1   | L3502-01    | OK-03-080520    | 1        | 100.03    | 0.00                   | 08/07/2020 | 10:45     |
| 2   | L3502-01DUP | OK-03-080520DUP | 1        | 100.05    | 0.00                   | 08/07/2020 | 10:52     |
| 3   | L3508-01    | TR-04-080620    | 1        | 100.07    | 0.00                   | 08/07/2020 | 11:00     |
| 4   | L3553-02    | JB-1A           | 1        | 100.06    | 0.00                   | 08/07/2020 | 11:10     |
| 5   | L3568-02    | 8/5-A-E         | 1        | 100.08    | 0.00                   | 08/07/2020 | 11:18     |
| 6   | L3568-05    | 8/5-F-J         | 1        | 100.04    | 0.00                   | 08/07/2020 | 11:25     |
| 7   | L3586-02    | 8420            | 1        | 100.03    | 0.00                   | 08/07/2020 | 11:32     |
| 8   | L3594-01    | TP-1            | 1        | 100.09    | 0.00                   | 08/07/2020 | 11:40     |
| 9   | L3594-05    | TP-2            | 1        | 100.05    | 0.00                   | 08/07/2020 | 11:48     |
| 10  | L3594-09    | TP-3            | 1        | 100.08    | 0.00                   | 08/07/2020 | 11:52     |

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF8720      WorkList ID : 141248      Department : Wet-Chemistry      Date : 08-07-2020 08:59:02

| Due Date   | Matrix | Sample            | Test         | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method |
|------------|--------|-------------------|--------------|--------------|----------|------------------|-----------------|--------------|--------|
| 08/05/2020 | Solid  | L3502-01 <i>F</i> | Paint Filter | Cool 4 deg C | PSEG05   | J13              | OK-03-080520    | 08/05/2020   | 9095B  |
| 08/06/2020 | Solid  | L3508-01 <i>G</i> | Paint Filter | Cool 4 deg C | PSEG05   | J21              | TR-04-080620    | 08/06/2020   | 9095B  |
| 08/03/2020 | Solid  | L3553-02 <i>E</i> | Paint Filter | Cool 4 deg C | PSEG01   | J12              | JB-1A           | 08/03/2020   | 9095B  |
| 08/05/2020 | Solid  | L3568-02 <i>B</i> | Paint Filter | Cool 4 deg C | PSEG01   | J13              | 8/5-A-E         | 08/05/2020   | 9095B  |
| 08/05/2020 | Solid  | L3568-05 <i>D</i> | Paint Filter | Cool 4 deg C | PSEG01   | J13              | 8/5-F-J         | 08/05/2020   | 9095B  |
| 08/06/2020 | Solid  | L3586-02 <i>✓</i> | Paint Filter | Cool 4 deg C | PSEG01   | J21              | 8420            | 08/06/2020   | 9095B  |
| 08/05/2020 | Solid  | L3594-01 <i>G</i> | Paint Filter | Cool 4 deg C | PSEG01   | J21              | TP-1            | 08/05/2020   | 9095B  |
| 08/05/2020 | Solid  | L3594-05 <i>G</i> | Paint Filter | Cool 4 deg C | PSEG01   | J21              | TP-2            | 08/05/2020   | 9095B  |
| 08/05/2020 | Solid  | L3594-09 <i>J</i> | Paint Filter | Cool 4 deg C | PSEG01   | J21              | TP-3            | 08/05/2020   | 9095B  |

Date/Time 08/07/2020 10:30  
 Received by: KS (wetchem)  
 Relinquished by: KS (wetchem)

Date/Time 08/07/2020 11:55  
 Received by: KS (wetchem)  
 Relinquished by: KS (wetchem)