



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 8/12/2020

OVENTEMP IN Celsius(°C): 108
Time IN: 17:00
In Date: 08/11/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:06
Out Date: 08/12/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB110471

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
L3504-01	EO-02-081120	35	1.11	9.52	8.98	93.6	
L3504-02	EO-02-081120	36	1.13	9.88	9.26	92.9	
L3504-03	EO-02-081120-1	37	1.17	9.97	9.55	95.2	
L3504-04	EO-02-081120-2	38	1.18	9.82	9.34	94.4	
L3504-05	EO-02-081120-3	39	1.17	9.51	8.73	90.6	
L3508-07	TR-05-081120	40	1.17	9.63	9.05	93.1	
L3508-08	TR-05-081120	41	1.18	9.95	9.4	93.7	
L3508-09	TR-05-081120-1	42	1.16	9.84	9.34	94.2	
L3508-10	TR-05-081120	43	1.17	9.63	9.05	93.1	
L3609-04	X068-B15-02	44	1.17	9.97	8.06	78.3	
L3623-02	SB-2	45	1.15	9.81	8.05	79.7	
L3623-03	STP-7A	46	1.19	9.76	9.26	94.2	
L3624-02	SS-TP-1	47	1.18	9.74	9.1	92.5	
L3624-05	SS-TP-1-EPH-2	48	1.13	9.75	9.06	92.0	
L3624-07	SS-TP-2	49	1.15	9.96	9.7	97.0	
L3624-10	SS-TP-2-EPH-2	50	1.12	9.92	9.39	94.0	
L3624-12	SS-TP-3	51	1.18	9.66	9.17	94.2	
L3624-15	SS-TP-3-EPH-2	52	1.14	9.96	9.27	92.2	
L3624-17	SS-TP-4	53	1.1	9.83	8.82	88.4	
L3624-20	SS-TP-4-EPH-2	54	1.13	9.72	8.78	89.1	
L3625-01	PN-SP	55	1.16	9.79	9.08	91.8	
L3625-02	PN-SP-EPH-2	56	1.17	9.8	9.13	92.2	
L3627-01	WH-CON-A	57	1.00	2.00	2.00	100.0	STONE SAMPLE,100% SOLIDS
L3627-02	WH-CON-B	58	1.00	2.00	2.00	100.0	STONE SAMPLE,100% SOLIDS
L3637-07	CAR-WASH-AREA-1	1	1.13	9.66	8.28	83.8	
L3637-09	CAR-WASH-AREA-TPH-1	2	1.19	9.74	8.36	83.9	
L3637-10	CAR-WASH-AREA-TPH-2	3	1.15	9.95	9.11	90.5	
L3637-11	CAR-WASH-AREA-TPH-3	4	1.14	9.9	8.16	80.1	



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 8/12/2020

OVENTEMP IN Celsius(°C): 108
Time IN: 17:00
In Date: 08/11/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:06
Out Date: 08/12/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB110471

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
L3637-12	CAR-WASH-AREA-TPH-4	5	1.14	9.77	8.33	83.3	
L3637-13	CAR-WASH-AREA-2	6	1.15	9.96	8.64	85.0	
L3637-15	CAR-WASH-AREA-2-TPH-1	7	1.1	9.69	8.33	84.2	
L3637-16	CAR-WASH-AREA-2-TPH-2	8	1.17	9.59	8.29	84.6	
L3637-17	CAR-WASH-AREA-2-TPH-3	9	1.15	9.79	8.41	84.0	
L3637-18	CAR-WASH-AREA-2-TPH-4	10	1.16	9.66	8.37	84.8	
L3637-19	CAR-WASH-AREA-3	11	1.11	9.66	8.36	84.8	
L3637-21	CAR-WASH-AREA-3-TPH-1	12	1.13	9.96	8.8	86.9	
L3637-22	CAR-WASH-AREA-3-TPH-2	13	1.17	9.93	8.57	84.5	
L3637-23	CAR-WASH-AREA-3-TPH-3	14	1.12	9.75	8.54	86.0	
L3637-24	CAR-WASH-AREA-3-TPH-4	15	1.14	9.92	8.82	87.5	
L3638-01	X445-S1	59	1.12	9.58	8.34	85.3	
L3638-02	X445-S2	60	1.14	9.84	8.79	87.9	
L3638-03	X445-B1	61	1.18	9.66	9.15	94.0	
L3638-04	X445-DUP-1	62	1.16	9.67	8.67	88.2	
L3639-01	MH-J08	16	1.13	9.74	3.72	30.1	
L3639-07	MH-J09	17	1.18	9.9	4.56	38.8	
L3645-02	SB-3	63	1.18	9.97	8.67	85.2	
L3648-02	BS-STOCK-1	64	1.18	9.97	9.7	96.9	
L3648-04	BS-STOCK-2	65	1.19	9.77	9.49	96.7	
L3648-06	BS-STOCK-3	66	1.18	9.97	9.29	92.3	
L3648-08	BS-STOCK-4	67	1.17	9.67	9.4	96.8	
L3648-10	BS-STOCK-5	68	1.18	9.97	9.45	94.1	
L3648-12	BS-STOCK-6	69	1.17	9.96	9.37	93.3	
L3648-14	BS-STOCK-7	70	1.17	9.75	9.25	94.2	
L3648-16	BS-STOCK-8	71	1.18	9.97	9.58	95.6	
L3648-18	BS-STOCK-9	72	1.17	9.73	9.38	95.9	
L3650-01	PCB-080620-SR-01	18	1.00	2.00	2.00	100.0	CAULKING SAMPLE, 100% SOLIDS



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 8/12/2020

OVENTEMP IN Celsius(°C): 108
Time IN: 17:00
In Date: 08/11/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:06
Out Date: 08/12/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB110471

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
L3650-02	PCB-080620-SR-02	19	1.00	2.00	2.00	100.0	CAULKING SAMPLE,100% SOLIDS
L3650-03	PCB-080620-SR-03	20	1.00	2.00	2.00	100.0	CAULKING SAMPLE,100% SOLIDS
L3650-04	PCB-080620-SR-04	21	1.00	2.00	2.00	100.0	CAULKING SAMPLE,100% SOLIDS
L3650-05	PCB-080620-SR-05	22	1.00	2.00	2.00	100.0	CAULKING SAMPLE,100% SOLIDS
L3650-06	PCB-080620-SR-06	23	1.00	2.00	2.00	100.0	CAULKING SAMPLE,100% SOLIDS
L3650-07	PCB-080620-SR-07	24	1.00	2.00	2.00	100.0	CAULKING SAMPLE,100% SOLIDS
L3650-08	PCB-080620-SR-08	25	1.00	2.00	2.00	100.0	CAULKING SAMPLE,100% SOLIDS
L3650-09	PCB-080620-SR-09	26	1.00	2.00	2.00	100.0	CAULKING SAMPLE,100% SOLIDS
L3650-10	PCB-080620-SR-10	27	1.00	2.00	2.00	100.0	CAULKING SAMPLE,100% SOLIDS
L3650-11	PCB-080620-SR-11	28	1.00	2.00	2.00	100.0	CAULKING SAMPLE,100% SOLIDS
L3650-12	PCB-080620-SR-12	29	1.00	2.00	2.00	100.0	CAULKING SAMPLE,100% SOLIDS
L3650-13	PCB-080620-SR-13	30	1.00	2.00	2.00	100.0	CAULKING SAMPLE,100% SOLIDS
L3650-14	PCB-080620-SR-14	31	1.00	2.00	2.00	100.0	CAULKING SAMPLE,100% SOLIDS
L3650-15	PCB-080620-SR-15	32	1.00	2.00	2.00	100.0	CAULKING SAMPLE,100% SOLIDS
L3650-16	PCB-080620-SR-16	33	1.00	2.00	2.00	100.0	CAULKING SAMPLE,100% SOLIDS
L3650-17	PCB-080620-SR-17	34	1.00	2.00	2.00	100.0	CAULKING SAMPLE,100% SOLIDS
L3652-01	STOCKPILE-1-A	73	1.18	9.64	9.14	94.1	
L3652-02	STOCKPILE-1-B	74	1.17	9.8	9.16	92.6	
L3652-03	STOCKPILE-2	75	1.17	9.97	8.76	86.3	
L3653-01	BW-STOCK	76	1.16	9.95	8.86	87.6	
L3653-02	BW-STOCK	77	1.18	9.94	9.39	93.7	
L3654-01	CS-13	78	1.17	9.52	9.34	97.8	
L3654-02	CS-14	79	1.17	9.71	9.51	97.7	
L3654-03	CS-15	80	1.18	9.96	9.77	97.8	
L3654-04	CS-16	81	1.18	9.95	9.85	98.9	
L3654-05	CS-17	82	1.17	9.67	9.44	97.3	
L3654-06	CS-18	83	1.18	9.92	9.69	97.4	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

WORKLIST(Hardcopy Internal Chain)

WB 110471
WB 110471

WorkList ID : 141333

Department : Wet-Chemistry

Date : 08-11-2020 08:07:06

WorkList Name : %1-081120

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/14/2020	Solid	L3504-01	Percent Solids	Cool 4 deg C	PSEG05	J52	EO-02-081120	08/11/2020	Chemtech -SO
08/14/2020	Solid	L3504-02	Percent Solids	Cool 4 deg C	PSEG05	J52	EO-02-081120	08/11/2020	Chemtech -SO
08/14/2020	Solid	L3504-03	Percent Solids	Cool 4 deg C	PSEG05	J52	EO-02-081120-1	08/11/2020	Chemtech -SO
08/14/2020	Solid	L3504-04	Percent Solids	Cool 4 deg C	PSEG05	J52	EO-02-081120-2	08/11/2020	Chemtech -SO
08/14/2020	Solid	L3504-05	Percent Solids	Cool 4 deg C	PSEG05	J52	EO-02-081120-3	08/11/2020	Chemtech -SO
08/14/2020	Solid	L3508-07	Percent Solids	Cool 4 deg C	PSEG05	J21	TR-05-081120	08/11/2020	Chemtech -SO
08/14/2020	Solid	L3508-08	Percent Solids	Cool 4 deg C	PSEG05	J21	TR-05-081120	08/11/2020	Chemtech -SO
08/14/2020	Solid	L3508-09	Percent Solids	Cool 4 deg C	PSEG05	J21	TR-05-081120-1	08/11/2020	Chemtech -SO
08/14/2020	Solid	L3508-10	Percent Solids	Cool 4 deg C	PSEG05	J21	TR-05-081120	08/11/2020	Chemtech -SO
08/13/2020	Solid	L3637-07	Percent Solids	Cool 4 deg C	TULL02	J33	CAR-WASH-AREA-1	08/10/2020	Chemtech -SO
08/13/2020	Solid	L3637-09	Percent Solids	Cool 4 deg C	TULL02	J33	CAR-WASH-AREA-TPH-1	08/10/2020	Chemtech -SO
08/13/2020	Solid	L3637-10	Percent Solids	Cool 4 deg C	TULL02	J33	CAR-WASH-AREA-TPH-2	08/10/2020	Chemtech -SO
08/13/2020	Solid	L3637-11	Percent Solids	Cool 4 deg C	TULL02	J33	CAR-WASH-AREA-TPH-3	08/10/2020	Chemtech -SO
08/13/2020	Solid	L3637-12	Percent Solids	Cool 4 deg C	TULL02	J33	CAR-WASH-AREA-TPH-4	08/10/2020	Chemtech -SO
08/13/2020	Solid	L3637-13	Percent Solids	Cool 4 deg C	TULL02	J33	CAR-WASH-AREA-2	08/10/2020	Chemtech -SO
08/13/2020	Solid	L3637-15	Percent Solids	Cool 4 deg C	TULL02	J33	CAR-WASH-AREA-2-TPH-1	08/10/2020	Chemtech -SO
08/13/2020	Solid	L3637-16	Percent Solids	Cool 4 deg C	TULL02	J33	CAR-WASH-AREA-2-TPH-2	08/10/2020	Chemtech -SO
08/13/2020	Solid	L3637-17	Percent Solids	Cool 4 deg C	TULL02	J33	CAR-WASH-AREA-2-TPH-3	08/10/2020	Chemtech -SO
08/13/2020	Solid	L3637-18	Percent Solids	Cool 4 deg C	TULL02	J33	CAR-WASH-AREA-2-TPH-4	08/10/2020	Chemtech -SO
08/13/2020	Solid	L3637-19	Percent Solids	Cool 4 deg C	TULL02	J33	CAR-WASH-AREA-3	08/10/2020	Chemtech -SO
08/13/2020	Solid	L3637-21	Percent Solids	Cool 4 deg C	TULL02	J33	CAR-WASH-AREA-3-TPH-1	08/10/2020	Chemtech -SO
08/13/2020	Solid	L3637-22	Percent Solids	Cool 4 deg C	TULL02	J33	CAR-WASH-AREA-3-TPH-2	08/10/2020	Chemtech -SO

Date/Time 08/11/2020 16:10:06

Received by: J. (Wetchem)

Relinquished by: KS (Wetchem)

Date/Time 08/11/2020 17:35

Received by: KS (Wetchem)

Relinquished by: SP (Wetchem)

LB 11045A
LB 110471

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-081120 WorkList ID : 141333 Department : Wet-Chemistry Date : 08-11-2020 08:07:06

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/13/2020	Solid	L3637-23	Percent Solids	Cool 4 deg C	TULL02	J33	CAR-WASH-AREA-3-TPH-3	08/10/2020	Chemtech -SO
08/13/2020	Solid	L3637-24	Percent Solids	Cool 4 deg C	TULL02	J33	CAR-WASH-AREA-3-TPH-4	08/10/2020	Chemtech -SO
08/17/2020	Solid	L3639-01	Percent Solids	Cool 4 deg C	TULL02	J43	MH-J08	08/10/2020	Chemtech -SO
08/17/2020	Solid	L3639-07	Percent Solids	Cool 4 deg C	TULL02	J43	MH-J09	08/10/2020	Chemtech -SO
08/20/2020	Solid	L3645-02	Percent Solids	Cool 4 deg C	DIST01	J53	SB-3	08/10/2020	Chemtech -SO
08/14/2020	Solid	L3648-02	Percent Solids	Cool 4 deg C	PSEG01	J51	BS-STOCK-1	08/11/2020	Chemtech -SO
08/14/2020	Solid	L3648-04	Percent Solids	Cool 4 deg C	PSEG01	J51	BS-STOCK-2	08/11/2020	Chemtech -SO
08/14/2020	Solid	L3648-06	Percent Solids	Cool 4 deg C	PSEG01	J51	BS-STOCK-3	08/11/2020	Chemtech -SO
08/14/2020	Solid	L3648-08	Percent Solids	Cool 4 deg C	PSEG01	J51	BS-STOCK-4	08/11/2020	Chemtech -SO
08/14/2020	Solid	L3648-10	Percent Solids	Cool 4 deg C	PSEG01	J51	BS-STOCK-5	08/11/2020	Chemtech -SO
08/14/2020	Solid	L3648-12	Percent Solids	Cool 4 deg C	PSEG01	J51	BS-STOCK-6	08/11/2020	Chemtech -SO
08/14/2020	Solid	L3648-14	Percent Solids	Cool 4 deg C	PSEG01	J51	BS-STOCK-7	08/11/2020	Chemtech -SO
08/14/2020	Solid	L3648-16	Percent Solids	Cool 4 deg C	PSEG01	J51	BS-STOCK-8	08/11/2020	Chemtech -SO
08/14/2020	Solid	L3648-18	Percent Solids	Cool 4 deg C	PSEG01	J51	BS-STOCK-9	08/11/2020	Chemtech -SO
08/16/2020	Solid	L3650-01	Percent Solids	Cool 4 deg C	CLOU03	J51	PCB-080620-SR-01	08/06/2020	Chemtech -SO
08/16/2020	Solid	L3650-02	Percent Solids	Cool 4 deg C	CLOU03	J51	PCB-080620-SR-02	08/06/2020	Chemtech -SO
08/16/2020	Solid	L3650-03	Percent Solids	Cool 4 deg C	CLOU03	J51	PCB-080620-SR-03	08/06/2020	Chemtech -SO
08/16/2020	Solid	L3650-04	Percent Solids	Cool 4 deg C	CLOU03	J51	PCB-080620-SR-04	08/06/2020	Chemtech -SO
08/16/2020	Solid	L3650-05	Percent Solids	Cool 4 deg C	CLOU03	J51	PCB-080620-SR-05	08/06/2020	Chemtech -SO
08/16/2020	Solid	L3650-06	Percent Solids	Cool 4 deg C	CLOU03	J51	PCB-080620-SR-06	08/06/2020	Chemtech -SO
08/16/2020	Solid	L3650-07	Percent Solids	Cool 4 deg C	CLOU03	J51	PCB-080620-SR-07	08/06/2020	Chemtech -SO
08/16/2020	Solid	L3650-08	Percent Solids	Cool 4 deg C	CLOU03	J51	PCB-080620-SR-08	08/06/2020	Chemtech -SO

Date/Time 08-11-2020 16:00
Received by: Jo (wet-chem)
Relinquished by: KS (wet-chem)

Date/Time 08-11-2020 17:15
Received by: KS (wet-chem)
Relinquished by: Jo (wet-chem) men

RS 11047
RS 11047
RS 11047

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-081120 WorkList ID : 141333 Department : Wet-Chemistry Date : 08-11-2020 08:07:06

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/16/2020	Solid	L3650-09	Percent Solids	Cool 4 deg C	CLOU03	J51	PCB-080620-SR-09	08/06/2020	Chemtech -SO
08/16/2020	Solid	L3650-10	Percent Solids	Cool 4 deg C	CLOU03	J51	PCB-080620-SR-10	08/06/2020	Chemtech -SO
08/16/2020	Solid	L3650-11	Percent Solids	Cool 4 deg C	CLOU03	J51	PCB-080620-SR-11	08/06/2020	Chemtech -SO
08/16/2020	Solid	L3650-12	Percent Solids	Cool 4 deg C	CLOU03	J51	PCB-080620-SR-12	08/06/2020	Chemtech -SO
08/16/2020	Solid	L3650-13	Percent Solids	Cool 4 deg C	CLOU03	J51	PCB-080620-SR-13	08/06/2020	Chemtech -SO
08/16/2020	Solid	L3650-14	Percent Solids	Cool 4 deg C	CLOU03	J51	PCB-080620-SR-14	08/06/2020	Chemtech -SO
08/16/2020	Solid	L3650-15	Percent Solids	Cool 4 deg C	CLOU03	J51	PCB-080620-SR-15	08/06/2020	Chemtech -SO
08/16/2020	Solid	L3650-16	Percent Solids	Cool 4 deg C	CLOU03	J51	PCB-080620-SR-16	08/06/2020	Chemtech -SO
08/16/2020	Solid	L3650-17	Percent Solids	Cool 4 deg C	CLOU03	J51	PCB-080620-SR-17	08/06/2020	Chemtech -SO
08/12/2020	Solid	L3652-01	Percent Solids	Cool 4 deg C	SHAW22	J51	STOCKPILE-1-A	08/10/2020	Chemtech -SO
08/12/2020	Solid	L3652-02	Percent Solids	Cool 4 deg C	SHAW22	J51	STOCKPILE-1-B	08/10/2020	Chemtech -SO
08/12/2020	Solid	L3652-03	Percent Solids	Cool 4 deg C	SHAW22	J51	STOCKPILE-2	08/10/2020	Chemtech -SO
08/14/2020	Solid	L3653-01	Percent Solids	Cool 4 deg C	PSEG01	J52	BW-STOCK	08/11/2020	Chemtech -SO
08/14/2020	Solid	L3653-02	Percent Solids	Cool 4 deg C	PSEG01	J52	BW-STOCK	08/11/2020	Chemtech -SO
08/12/2020	Solid	L3654-01	Percent Solids	Cool 4 deg C	ENTA05	J51	CS-13	08/11/2020	Chemtech -SO
08/12/2020	Solid	L3654-02	Percent Solids	Cool 4 deg C	ENTA05	J51	CS-14	08/11/2020	Chemtech -SO
08/12/2020	Solid	L3654-03	Percent Solids	Cool 4 deg C	ENTA05	J51	CS-15	08/11/2020	Chemtech -SO
08/12/2020	Solid	L3654-04	Percent Solids	Cool 4 deg C	ENTA05	J51	CS-16	08/11/2020	Chemtech -SO
08/12/2020	Solid	L3654-05	Percent Solids	Cool 4 deg C	ENTA05	J51	CS-17	08/11/2020	Chemtech -SO
08/12/2020	Solid	L3654-06	Percent Solids	Cool 4 deg C	ENTA05	J51	CS-18	08/11/2020	Chemtech -SO

Date/Time 08/11/2020 16:00
Received by: JS (Wetchem)
Relinquished by: JS (Wetchem)

Date/Time 08/11/2020 17:35
Received by: JS (Wetchem)
Relinquished by: JS (Wetchem) Chm