



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB110475

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	L3506-01	OR-02-080720	1	100.03	0.00	08/11/2020	10:55
2	L3506-01DUP	OR-02-080720DUP	1	100.05	0.00	08/11/2020	11:05
3	L3624-02	SS-TP-1	1	100.07	0.00	08/11/2020	11:12
4	L3624-07	SS-TP-2	1	100.04	0.00	08/11/2020	11:20
5	L3624-12	SS-TP-3	1	100.08	0.00	08/11/2020	11:28
6	L3624-17	SS-TP-4	1	100.06	0.00	08/11/2020	11:35
7	L3625-01	PN-SP	1	100.04	0.00	08/11/2020	11:42

WORKLIST(Hardcopy Internal Chain)

LB110475

WorkList Name : pf81120 WorkList ID : 141353 Department : Wet-Chemistry Date : 08-11-2020 09:09:59

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/07/2020	Solid	L3506-01	Paint Filter	Cool 4 deg C	PSEG05	J22	OR-02-080720	08/07/2020	9095B
08/10/2020	Solid	L3624-02	Paint Filter	Cool 4 deg C	PSEG01	J43	SS-TP-1	08/10/2020	9095B
08/10/2020	Solid	L3624-07	Paint Filter	Cool 4 deg C	PSEG01	J43	SS-TP-2	08/10/2020	9095B
08/10/2020	Solid	L3624-12	Paint Filter	Cool 4 deg C	PSEG01	J43	SS-TP-3	08/10/2020	9095B
08/10/2020	Solid	L3624-17	Paint Filter	Cool 4 deg C	PSEG01	J43	SS-TP-4	08/10/2020	9095B
08/10/2020	Solid	L3625-01	Paint Filter	Cool 4 deg C	PSEG01	J42	PN-SP	08/10/2020	9095B

Date/Time 08/11/2020 10:45
 Received by: KS (Wetchem)
 Relinquished by: KS (Wetchem)

Date/Time 08/11/2020 11:45
 Received by: KS (Wetchem)
 Relinquished by: KS (Wetchem)