



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB110615

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L3502-11	OK-02-081920	1	100.03	0.00	08/20/2020	10:25
2	L3502-11DUP	OK-02-081920DUP	1	100.06	0.00	08/20/2020	10:35
3	L3504-07	EO-01-081920	1	100.07	0.00	08/20/2020	10:42
4	L3742-03	TP-10-S	1	100.03	0.00	08/20/2020	10:50
5	L3742-07	TP-10-D	1	100.08	0.00	08/20/2020	11:00

WORKLIST(Hardcopy Internal Chain)

LB110615

WorkList Name : pf82020 WorkList ID : 141641 Department : Wet-Chemistry Date : 08-20-2020 09:10:08

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/19/2020	Solid	L3502-11	Paint Filter	Cool 4 deg C	PSEG05		OK-02-081920	08/19/2020	9095B
08/19/2020	Solid	L3504-07	Paint Filter	Cool 4 deg C	PSEG05		EO-01-081920	08/19/2020	9095B
08/19/2020	Solid	L3742-03	Paint Filter	Cool 4 deg C	PSEG01	K43	TP-10-S	08/19/2020	9095B
08/19/2020	Solid	L3742-07	Paint Filter	Cool 4 deg C	PSEG01	K43	TP-10-D	08/19/2020	9095B

Date/Time 08/20/2020 10:10
 Received by: KS (wetchem)
 Relinquished by: KS (wetchem)

Date/Time 08/20/2020 11:05
 Received by: KS (wetchem)
 Relinquished by: KS (wetchem)