



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB110639

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L3506-06	OR-03-082020	1	100.03	0.00	08/21/2020	10:00
2	L3506-06DUP	OR-03-082020DUP	1	100.02	0.00	08/21/2020	10:10
3	L3746-02	359	1	100.01	0.00	08/21/2020	10:18
4	L3746-04	224	1	100.05	0.00	08/21/2020	10:25
5	L3746-06	212	1	100.08	0.00	08/21/2020	10:32
6	L3747-01	340	1	100.08	0.00	08/21/2020	10:40

WORKLIST(Hardcopy Internal Chain)

LB110639

WorkList Name : pf82120 WorkList ID : 141680 Department : Wet-Chemistry Date : 08-21-2020 09:08:48

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/20/2020	Solid	L3506-06	Paint Filter	Cool 4 deg C	PSEG05		OR-03-082020	08/20/2020	9095B
08/20/2020	Solid	L3746-02	Paint Filter	Cool 4 deg C	PSEG01	K61	359	08/20/2020	9095B
08/20/2020	Solid	L3746-04	Paint Filter	Cool 4 deg C	PSEG01	K61	224	08/20/2020	9095B
08/20/2020	Solid	L3746-06	Paint Filter	Cool 4 deg C	PSEG01	K61	212	08/20/2020	9095B
08/20/2020	Solid	L3747-01	Paint Filter	Cool 4 deg C	PSEG01	K51	340	08/20/2020	9095B

Date/Time 08/21/2020 09:45
 Received by: KS (Webster)
 Relinquished by: KS (Webster)

Date/Time 08/21/2020 10:45
 Received by: KS (Webster)
 Relinquished by: KS (Webster)