



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB110662

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L3772-02	349-346	1	100.05	0.00	08/24/2020	10:15
2	L3772-02DUP	349-346DUP	1	100.08	0.00	08/24/2020	10:25
3	L3772-05	202-986	1	100.07	0.00	08/24/2020	10:32
4	L3773-01	DRUM-COMP	1	100.09	0.00	08/24/2020	10:40
5	L3773-03	OILY-DEBRIS	1	100.07	0.00	08/24/2020	10:48
6	L3780-01	JC-03-082120-A	1	100.06	0.00	08/24/2020	10:55
7	L3780-09	JC-03-082120-B	1	100.04	0.00	08/24/2020	11:05
8	L3780-17	JC-03-082120-C	1	100.04	0.00	08/24/2020	11:12

WORKLIST(Hardcopy Internal Chain)

LB 110662

WorkList Name : pf82420 WorkList ID : 141711 Department : Wet-Chemistry Date : 08-24-2020 08:57:10

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/21/2020	Solid	L3772-02	Paint Filter	Cool 4 deg C	PSEG01	L11	349-346	08/21/2020	9095B
08/21/2020	Solid	L3772-05	Paint Filter	Cool 4 deg C	PSEG01	L11	202-986	08/21/2020	9095B
08/21/2020	Solid	L3773-01	Paint Filter	Cool 4 deg C	PSEG01	K61	DRUM-COMP	08/21/2020	9095B
08/21/2020	Solid	L3773-03	Paint Filter	Cool 4 deg C	PSEG01	K61	OILY-DEBRIS	08/21/2020	9095B
08/21/2020	Solid	L3780-01	Paint Filter	Cool 4 deg C	PSEG05	L11	JC-03-082120-A	08/21/2020	9095B
08/21/2020	Solid	L3780-09	Paint Filter	Cool 4 deg C	PSEG05	L11	JC-03-082120-B	08/21/2020	9095B
08/21/2020	Solid	L3780-17	Paint Filter	Cool 4 deg C	PSEG05	L11	JC-03-082120-C	08/21/2020	9095B

Date/Time 08/24/2020 10:15
 Received by: KS (watcher)
 Relinquished by: KS (watcher)

Date/Time 08/24/2020 11:15
 Received by: KS (watcher)
 Relinquished by: KS (watcher)