



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB110752

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L3507-13	SU-03-082720	1	100.03	0.00	08/31/2020	10:45
2	L3507-13DUP	SU-03-082720DUP	1	100.06	0.00	08/31/2020	10:52
3	L3508-25	TR-08-082820	1	100.08	0.00	08/31/2020	11:00
4	L3833-02	12018	1	100.05	0.00	08/31/2020	11:10

WORKLIST(Hardcopy Internal Chain)

LB110752

WorkList Name : pf83120 WorkList ID : 141895 Department : Wet-Chemistry Date : 08-31-2020 09:07:39

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/27/2020	Solid	L3507-13	Paint Filter	Cool 4 deg C	PSEG05		SU-03-082720	08/27/2020	9095B
08/28/2020	Solid	L3508-25	Paint Filter	Cool 4 deg C	PSEG05		TR-08-082820	08/28/2020	9095B
08/28/2020	Solid	L3833-02	Paint Filter	Cool 4 deg C	PSEG01	L52	12018	08/28/2020	9095B

Date/Time 08/31/2020 10:30
 Received by: KS (webchen)
 Relinquished by: KS (webchen)

Date/Time 08/31/2020 11:15
 Received by: KS (webchen)
 Relinquished by: KS (webchen)