



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB110774

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L3506-11	OR-02-083120	1	100.03	0.00	09/01/2020	14:25
2	L3506-11DUP	OR-02-083120DUP	1	100.02	0.00	09/01/2020	14:35
3	L3854-05	VNJ216-355	1	100.01	0.00	09/01/2020	14:50
4	L3859-03	TP-1-S	1	100.06	0.00	09/01/2020	15:05

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF9120 WorkList ID : 141957 Department : Wet-Chemistry Date : 09-01-2020 14:02:42

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/31/2020	Solid	L3506-11	Paint Filter	Cool 4 deg C	PSEG05		OR-02-083120	08/31/2020	9095B
08/31/2020	Solid	L3854-05	Paint Filter	Cool 4 deg C	PSEG01	L62	VNJ216-355	08/31/2020	9095B
08/31/2020	Solid	L3859-03	Paint Filter	Cool 4 deg C	PSEG01	L63	TP-1-S	08/31/2020	9095B

Date/Time 09/01/2020 14:05
 Received by: KS (wetchem)
 Relinquished by: KS (wetchem)

Date/Time 09/01/2020 15:15
 Received by: KS (wetchem)
 Relinquished by: KS (wetchem)