



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB110846

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L3864-01	CL-01-090320	1	100.03	0.00	09/04/2020	09:55
2	L3864-01DUP	CL-01-090320DUP	1	100.02	0.00	09/04/2020	10:05
3	L3916-01	WC-1	1	100.01	0.00	09/04/2020	10:15

WORKLIST(Hardcopy Internal Chain)

LB 110846

WorkList Name : pf9420 WorkList ID : 142074 Department : Wet-Chemistry Date : 09-04-2020 09:04:09

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
09/03/2020	Solid	L3864-01	Paint Filter	Cool 4 deg C	PSEG05	M22	CL-01-090320	09/03/2020	9095B
09/03/2020	Solid	L3916-01	Paint Filter	Cool 4 deg C	FIRS02	M61	WC-1	09/03/2020	9095B

Date/Time 09/04/2020 09:45
 Received by: KS (Wetchem)
 Relinquished by: KS (Wetchem)

Date/Time 09/04/2020 10:25
 Received by: KS (Wetchem)
 Relinquished by: KS (Wetchem)