



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 9/9/2020

OVENTEMP IN Celsius(°C): 107
Time IN: 16:40
In Date: 09/08/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 09/09/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB110866

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
L3870-01	SU-04-090820	1	1.15	9.81	9.31	94.2	
L3870-02	SU-04-090820	2	1.12	9.88	9.28	93.2	
L3870-03	SU-04-090820-1	3	1.14	9.93	9.6	96.2	
L3870-04	SU-04-090820-2	4	1.16	9.55	8.98	93.2	
L3929-01	LG-STOCK	5	1.15	9.96	9.39	93.5	
L3929-02	LG-STOCK	6	1.13	9.62	8.77	90.0	
L3930-01	72-11977	7	1.15	9.94	7.47	71.9	
L3930-02	72-11977	8	1.16	9.5	6.84	68.1	
L3930-03	VNJ-242	9	1.1	9.6	7.07	70.2	
L3930-04	VNJ-242	10	1.14	9.83	6.55	62.3	
L3931-01	SP-1-1	11	1.15	9.57	8.77	90.5	
L3931-03	SP-1-2	12	1.16	9.92	9.58	96.1	
L3932-01	VNJ-218	13	1.13	9.8	9.34	94.7	
L3937-01	BSY-SB-01-1.0-2.0	14	1.14	9.5	8.16	84.0	
L3937-02	BSY-SB-02-1.0-2.0	15	1.13	9.98	8.75	86.1	
L3937-03	BSY-SB-02-5.0-6.0	16	1.14	9.53	8.47	87.4	
L3937-04	BSY-SB-03-5.0-6.0	17	1.19	9.76	8.18	81.6	
L3937-05	BSY-SB-03-1.0-2.0	18	1.14	9.96	9.00	89.1	
L3937-06	BSY-SB-DUP-9-8-2020	19	1.13	9.85	8.59	85.6	
L3939-01	PAV-B41-090820-0-1	20	1.14	9.56	9.00	93.3	
L3939-03	PAV-B41-090820-0-10	21	1.14	9.86	8.92	89.2	
L3939-05	PAV-B41-090820-12-13	22	1.00	2.00	2.00	100.0	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$