



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB110873

Reviewed By: ketankumar
Supervisor Review By: apatel
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L3870-01	SU-04-090820	1	100.05	0.00	09/09/2020	10:25
2	L3870-01DUP	SU-04-090820DUP	1	100.07	0.00	09/09/2020	10:35
3	L3929-02	LG-STOCK	1	100.06	0.00	09/09/2020	10:42
4	L3930-01	72-11977	1	100.04	0.00	09/09/2020	10:50
5	L3930-03	VNJ-242	1	100.03	0.00	09/09/2020	10:58
6	L3931-01	SP-1-1	1	100.09	0.00	09/09/2020	11:05
7	L3931-03	SP-1-2	1	100.04	0.00	09/09/2020	11:15
8	L3932-01	VNJ-218	1	100.07	0.00	09/09/2020	11:25

WORKLIST(Hardcopy Internal Chain)

LB 110873

WorkList Name : PF9920 WorkList ID : 142161 Department : Wet-Chemistry Date : 09-09-2020 09:03:46

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
09/08/2020	Solid	L3870-01	Paint Filter	Cool 4 deg C	PSEG05	M33	SU-04-090820	09/08/2020	9095B
09/08/2020	Solid	L3929-02	Paint Filter	Cool 4 deg C	PSEG01	M33	LG-STOCK	09/08/2020	9095B
09/08/2020	Solid	L3930-01	Paint Filter	Cool 4 deg C	PSEG01	M33	72-11977	09/08/2020	9095B
09/08/2020	Solid	L3930-03	Paint Filter	Cool 4 deg C	PSEG01	M33	VNJ-242	09/08/2020	9095B
09/08/2020	Solid	L3931-01	Paint Filter	Cool 4 deg C	PSEG01	M33	SP-1-1	09/08/2020	9095B
09/08/2020	Solid	L3931-03	Paint Filter	Cool 4 deg C	PSEG01	M33	SP-1-2	09/08/2020	9095B
09/08/2020	Solid	L3932-01	Paint Filter	Cool 4 deg C	PSEG01	M33	VNJ-218	09/08/2020	9095B

Date/Time 09/09/2020 10:15
 Received by: KS (Welcher)
 Relinquished by: KS (Welcher)

Date/Time 09/09/2020 11:30
 Received by: KS (Welcher)
 Relinquished by: KS (Welcher)