



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB110960

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L3863-01	HD-02-091120	1	100.03	0.00	09/14/2020	10:55
2	L3863-01DUP	HD-02-091120DUP	1	100.05	0.00	09/14/2020	11:05
3	L3869-01	OR-03-091120	1	100.07	0.00	09/14/2020	11:15
4	L3943-02	357	1	100.04	0.00	09/14/2020	11:25

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf91120 WorkList ID : 142245 Department : Wet-Chemistry Date : 09-11-2020 09:06:27

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
09/11/2020	Solid	L3863-01	Paint Filter	Cool 4 deg C	PSEG05	P13	HD-02-091120	09/11/2020	9095B
09/11/2020	Solid	L3869-01	Paint Filter	Cool 4 deg C	PSEG05	P12	OR-03-091120	09/11/2020	9095B
09/09/2020	Solid	L3943-02	Paint Filter	Cool 4 deg C	PSEG01	M41	357	09/09/2020	9095B

Date/Time 09/14/2020 10:45
 Received by: KS (Wetchem)
 Relinquished by: KS (Wetchem)

Date/Time 09/14/2020 11:30
 Received by: KS (Wetchem)
 Relinquished by: KS (Wetchem)