

Analysis Method: 9034
 Parameter: Reactive Sulfide
 Run Number: LB110981

ANALYST: ketankumar
 SUPERVISOR REVIEW BY: apatel
 Constant: 16000
 Normality1: 0.025
 Normality2: 0.025

Reagent/Standard	Lot/Log #
Sodium thiosulfate titrant 0.025N	WP86633
IODINE SOLUTION .025N 1L	W2670
Starch Solution, 4L	W2703

Seq	Lab ID	True Value (mg/l)	DF	Initial Weight (g)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB131631BL		1	5.02	50	2.00	0.00	1.92	1.92	0.08	0.00	0.00	09/15/2020	15:35
2	L3867-06		1	5.03	50	2.00	1.92	3.80	1.88	0.12	0.04	3.18	09/15/2020	15:38
3	L3867-06DUP		1	5.04	50	2.00	3.80	5.70	1.90	0.10	0.02	1.59	09/15/2020	15:42
4	L3871-10		1	5.05	50	2.00	5.70	7.54	1.84	0.16	0.08	6.34	09/15/2020	15:45
5	L4005-02		1	5.02	50	2.00	0.00	1.86	1.86	0.14	0.06	4.78	09/15/2020	15:48
6	L4005-04		1	5.06	50	2.00	1.86	3.68	1.82	0.18	0.10	7.91	09/15/2020	15:52
7	L4007-02		1	5.02	50	2.00	3.68	5.48	1.80	0.20	0.12	9.56	09/15/2020	15:55
8	L4013-04		1	5.04	50	2.00	5.48	7.32	1.84	0.16	0.08	6.35	09/15/2020	15:58
9	L4013-06		1	5.01	50	2.00	0.00	1.86	1.86	0.14	0.06	4.79	09/15/2020	16:02

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume