



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB110983

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L3867-01	EO-02-091420	1	100.02	0.00	09/15/2020	10:40
2	L3867-01DUP	EO-02-091420DUP	1	100.03	0.00	09/15/2020	10:48
3	L3871-07	TR-04-091420	1	100.05	0.00	09/15/2020	10:55
4	L4005-01	22-31	1	100.08	0.00	09/15/2020	11:05
5	L4005-03	32-34	1	100.06	0.00	09/15/2020	11:15
6	L4007-01	72-11929	1	100.04	0.00	09/15/2020	11:25

LB 110983

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf91520

WorkList ID : 142335

Department : Wet-Chemistry

Date : 09-15-2020 08:54:04

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
09/14/2020	Solid	L3867-01	Paint Filter	Cool 4 deg C	PSEG05	P33	EO-02-091420	09/14/2020	9095B
09/14/2020	Solid	L3871-07	Paint Filter	Cool 4 deg C	PSEG05		TR-04-091420	09/14/2020	9095B
09/14/2020	Solid	L4005-01	Paint Filter	Cool 4 deg C	PSEG01	P33	22-31	09/14/2020	9095B
09/14/2020	Solid	L4005-03	Paint Filter	Cool 4 deg C	PSEG01	P33	32-34	09/14/2020	9095B
09/14/2020	Solid	L4007-01	Paint Filter	Cool 4 deg C	PSEG01	P33	72-11929	09/14/2020	9095B

Date/Time 09/15/2020 08:55
Received by: KS (watchman)
Relinquished by: JP (Wet Chem)

Date/Time 09/15/2020 11:30
Received by: JP (Wet Chem)
Relinquished by: KS (watchman)