



PERCENT SOLID

Supervisor: apatel  
Analyst: jignesh  
Date: 9/18/2020

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:25  
In Date: 09/17/2020  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:22  
Out Date: 09/18/2020  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB111029

| Lab ID   | Client SampleID          | Dish # | Dish Wt (g) (A) | Dish + Sample Wt (g) (B) | Dish+Dry Sample Wt (g) (C) | % Solid | Comments |
|----------|--------------------------|--------|-----------------|--------------------------|----------------------------|---------|----------|
| L3870-06 | SU-02-091720             | 1      | 1.17            | 9.67                     | 9.22                       | 94.7    |          |
| L3870-07 | SU-02-091720             | 2      | 1.16            | 9.97                     | 9.28                       | 92.2    |          |
| L3870-08 | SU-02-091720-1           | 3      | 1.1             | 9.51                     | 9.00                       | 93.9    |          |
| L3870-09 | SU-02-091720-2           | 4      | 1.15            | 9.53                     | 9.03                       | 94.0    |          |
| L3871-13 | TR-05-091720             | 5      | 1.13            | 9.92                     | 8.85                       | 87.8    |          |
| L3871-14 | TR-05-091720             | 6      | 1.15            | 9.74                     | 8.36                       | 83.9    |          |
| L3871-15 | TR-05-091720-1           | 7      | 1.16            | 9.97                     | 8.97                       | 88.6    |          |
| L3871-19 | TR-08-091720             | 8      | 1.16            | 9.62                     | 8.71                       | 89.2    |          |
| L3871-20 | TR-08-091720             | 9      | 1.13            | 9.83                     | 8.8                        | 88.2    |          |
| L3871-21 | TR-08-091720-1           | 10     | 1.12            | 9.88                     | 9.00                       | 90.0    |          |
| L3930-06 | VNJ-242                  | 11     | 1.11            | 9.6                      | 7.07                       | 70.2    |          |
| L4017-01 | SS-1                     | 12     | 1.13            | 9.97                     | 9.2                        | 91.3    |          |
| L4017-02 | SS-2                     | 13     | 1.16            | 9.61                     | 8.69                       | 89.1    |          |
| L4017-03 | SS-3                     | 14     | 1.13            | 9.51                     | 8.18                       | 84.1    |          |
| L4017-04 | SS-4                     | 15     | 1.16            | 9.85                     | 8.98                       | 90.0    |          |
| L4017-05 | SS-5                     | 16     | 1.17            | 9.63                     | 8.42                       | 85.7    |          |
| L4017-06 | SS-6                     | 17     | 1.15            | 9.85                     | 9.12                       | 91.6    |          |
| L4017-07 | SS-7                     | 18     | 1.13            | 9.82                     | 9.21                       | 93.0    |          |
| L4017-08 | SS-8                     | 19     | 1.16            | 9.77                     | 8.94                       | 90.4    |          |
| L4017-09 | SS-9                     | 20     | 1.16            | 9.56                     | 8.7                        | 89.8    |          |
| L4017-10 | SS-10                    | 21     | 1.17            | 9.88                     | 8.75                       | 87.0    |          |
| L4017-11 | SS-11                    | 22     | 1.17            | 9.89                     | 8.64                       | 85.7    |          |
| L4034-06 | SOIL-SP-MH-C01-MH-J09-02 | 23     | 1.13            | 9.62                     | 8.83                       | 90.7    |          |
| L4051-01 | KTS-SB-02-1-2            | 24     | 1.13            | 9.85                     | 8.71                       | 86.9    |          |
| L4051-02 | KTS-SB-01-1-2            | 25     | 1.16            | 9.87                     | 8.1                        | 79.7    |          |
| L4051-03 | KTS-IB-01-1-2            | 26     | 1.11            | 9.97                     | 8.9                        | 87.9    |          |
| L4051-04 | KTS-IB-02-1-2            | 27     | 1.16            | 9.85                     | 8.92                       | 89.3    |          |
| L4051-05 | KTS-ST-02-1-2            | 28     | 1.13            | 9.88                     | 9.36                       | 94.1    |          |



PERCENT SOLID

Supervisor: apatel  
Analyst: jignesh  
Date: 9/18/2020

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:25  
In Date: 09/17/2020  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:22  
Out Date: 09/18/2020  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB111029

| Lab ID   | Client SampleID      | Dish # | Dish Wt (g) (A) | Dish + Sample Wt (g) (B) | Dish+Dry Sample Wt (g) (C) | % Solid | Comments        |
|----------|----------------------|--------|-----------------|--------------------------|----------------------------|---------|-----------------|
| L4051-06 | KTS-ST-01-1-2        | 29     | 1.16            | 9.86                     | 8.95                       | 89.5    |                 |
| L4052-01 | HEF317G-TOP          | 30     | 1.00            | 2.00                     | 2.00                       | 100.0   | CABLE SAMPLE    |
| L4052-02 | HED160B-TOP          | 31     | 1.00            | 2.00                     | 2.00                       | 100.0   | CABLE SAMPLE    |
| L4052-03 | HEF317G-BOTTOM       | 32     | 1.00            | 2.00                     | 2.00                       | 100.0   | CABLE SAMPLE    |
| L4052-04 | HED160B-BOTTOM       | 33     | 1.00            | 2.00                     | 2.00                       | 100.0   | CABLE SAMPLE    |
| L4052-06 | CO-76728             | 34     | 1.00            | 2.00                     | 2.00                       | 100.0   | OIL SAMPLE      |
| L4053-01 | 1813                 | 35     | 1.00            | 2.00                     | 2.00                       | 100.0   | OIL SAMPLE      |
| L4053-03 | VNJ-231              | 36     | 1.00            | 2.00                     | 2.00                       | 100.0   | OILY DEBRIS     |
| L4053-04 | VNJ-231              | 37     | 1.00            | 2.00                     | 2.00                       | 100.0   | OILY DEBRIS     |
| L4054-01 | KZZ075N-TOP          | 38     | 1.00            | 2.00                     | 2.00                       | 100.0   | CABLE SAMPLE    |
| L4054-02 | KZZ075N-BOTTOM       | 39     | 1.00            | 2.00                     | 2.00                       | 100.0   | CABLE SAMPLE    |
| L4057-01 | JA-DRUM-COMP         | 40     | 1.00            | 2.00                     | 2.00                       | 100.0   | OILY DEBRIS     |
| L4057-02 | JA-DRUM-COMP         | 41     | 1.00            | 2.00                     | 2.00                       | 100.0   | OILY DEBRIS     |
| L4059-01 | PAV-B33-091720-0-1   | 42     | 1.16            | 9.6                      | 9.06                       | 93.6    |                 |
| L4059-03 | PAV-B33-091720-0-10  | 43     | 1.15            | 9.97                     | 9.3                        | 92.4    |                 |
| L4059-05 | PAV-B33-091720-10-19 | 44     | 1.17            | 9.93                     | 9.19                       | 91.6    |                 |
| L4059-07 | PAV-B33-091720-18-19 | 45     | 1.16            | 9.94                     | 9.16                       | 91.1    |                 |
| L4062-01 | EROC-CF-1            | 46     | 1.17            | 9.5                      | 8.85                       | 92.2    |                 |
| L4062-02 | EROC-CF-2            | 47     | 1.16            | 9.73                     | 9.24                       | 94.3    |                 |
| L4062-03 | EROC-NI4-1           | 48     | 1.17            | 9.96                     | 9.83                       | 98.5    |                 |
| L4062-04 | EROC-NI4-2           | 49     | 1.16            | 9.64                     | 9.42                       | 97.4    |                 |
| L4067-01 | PCB-091620-SR-01     | 50     | 1.00            | 2.00                     | 2.00                       | 100.0   | CAULKING SAMPLE |
| L4067-02 | PCB-091620-SR-02     | 51     | 1.00            | 2.00                     | 2.00                       | 100.0   | CAULKING SAMPLE |
| L4068-01 | PE-1A- (1-1.5)       | 52     | 1.18            | 9.67                     | 8.68                       | 88.3    |                 |
| L4068-02 | PE-2A- (1-1.5)       | 53     | 1.14            | 9.63                     | 8.69                       | 88.9    |                 |
| L4068-03 | PE-3A- (1-1.5)       | 54     | 1.16            | 9.82                     | 9.04                       | 91.0    |                 |
| L4068-04 | PE-4A- (1-1.5)       | 55     | 1.16            | 9.89                     | 8.89                       | 88.5    |                 |
| L4068-05 | PE-5- (5-5.5)        | 56     | 1.17            | 9.81                     | 8.17                       | 81.0    |                 |



PERCENT SOLID

Supervisor: apatel  
Analyst: jignesh  
Date: 9/18/2020

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:25  
In Date: 09/17/2020  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:22  
Out Date: 09/18/2020  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB111029

| Lab ID   | Client SampleID | Dish # | Dish Wt(g) (A) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments |
|----------|-----------------|--------|----------------|-------------------------|---------------------------|---------|----------|
| L4068-06 | PE-1B-(4.5-5)   | 57     | 1.17           | 9.97                    | 8.73                      | 85.9    |          |
| L4068-07 | PE-2B-(4.5-5)   | 58     | 1.16           | 9.98                    | 8.89                      | 87.6    |          |
| L4068-08 | PE-3B-(4.5-5)   | 59     | 1.18           | 9.55                    | 8.92                      | 92.5    |          |
| L4068-09 | PE-4B-(4.5-5)   | 60     | 1.16           | 9.96                    | 8.71                      | 85.8    |          |
| L4068-10 | DUPLICATE       | 61     | 1.17           | 9.86                    | 8.9                       | 89.0    |          |
| L4073-01 | H-1             | 62     | 1.18           | 9.8                     | 9.26                      | 93.7    |          |
| L4073-02 | H-1A            | 63     | 1.17           | 9.55                    | 9.00                      | 93.4    |          |
| L4074-01 | KTS-IB-0102-0-6 | 64     | 1.18           | 9.98                    | 7.83                      | 75.6    |          |
| L4074-02 | KTS-ST-0102-0-6 | 65     | 1.17           | 9.85                    | 8.35                      | 82.7    |          |
| L4075-01 | KTS-WC-S-IB-ST  | 66     | 1.18           | 9.83                    | 7.93                      | 78.0    |          |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

# WORKLIST(Hardcopy Internal Chain)

W 111029

WorkList Name : %1-091720 WorkList ID : 142414 Department : Wet-Chemistry Date : 09-17-2020 10:04:15

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-----------------|--------------|--------------|
| 09/22/2020 | Solid  | L3870-06 | Percent Solids | Cool 4 deg C | PSEG05   | M33              | SU-02-091720    | 09/17/2020   | Chemtech -SO |
| 09/22/2020 | Solid  | L3870-07 | Percent Solids | Cool 4 deg C | PSEG05   | M33              | SU-02-091720    | 09/17/2020   | Chemtech -SO |
| 09/22/2020 | Solid  | L3870-08 | Percent Solids | Cool 4 deg C | PSEG05   | M33              | SU-02-091720-1  | 09/17/2020   | Chemtech -SO |
| 09/22/2020 | Solid  | L3870-09 | Percent Solids | Cool 4 deg C | PSEG05   | M33              | SU-02-091720-2  | 09/17/2020   | Chemtech -SO |
| 09/22/2020 | Solid  | L3871-13 | Percent Solids | Cool 4 deg C | PSEG05   |                  | TR-05-091720    | 09/17/2020   | Chemtech -SO |
| 09/22/2020 | Solid  | L3871-14 | Percent Solids | Cool 4 deg C | PSEG05   | M21              | TR-05-091720    | 09/17/2020   | Chemtech -SO |
| 09/22/2020 | Solid  | L3871-15 | Percent Solids | Cool 4 deg C | PSEG05   | M21              | TR-05-091720-1  | 09/17/2020   | Chemtech -SO |
| 09/22/2020 | Solid  | L3871-19 | Percent Solids | Cool 4 deg C | PSEG05   |                  | TR-08-091720    | 09/17/2020   | Chemtech -SO |
| 09/22/2020 | Solid  | L3871-20 | Percent Solids | Cool 4 deg C | PSEG05   | M21              | TR-08-091720    | 09/17/2020   | Chemtech -SO |
| 09/22/2020 | Solid  | L3871-21 | Percent Solids | Cool 4 deg C | PSEG05   | M21              | TR-08-091720-1  | 09/17/2020   | Chemtech -SO |
| 09/15/2020 | Solid  | L3930-06 | Percent Solids | Cool 4 deg C | PSEG01   | M33              | VNJ-242         | 09/08/2020   | Chemtech -SO |
| 09/24/2020 | Solid  | L4017-01 | Percent Solids | Cool 4 deg C | EARTH03  | P61              | SS-1            | 09/16/2020   | Chemtech -SO |
| 09/24/2020 | Solid  | L4017-02 | Percent Solids | Cool 4 deg C | EARTH03  | P61              | SS-2            | 09/16/2020   | Chemtech -SO |
| 09/24/2020 | Solid  | L4017-03 | Percent Solids | Cool 4 deg C | EARTH03  | P61              | SS-3            | 09/16/2020   | Chemtech -SO |
| 09/24/2020 | Solid  | L4017-04 | Percent Solids | Cool 4 deg C | EARTH03  | P61              | SS-4            | 09/16/2020   | Chemtech -SO |
| 09/24/2020 | Solid  | L4017-05 | Percent Solids | Cool 4 deg C | EARTH03  | P61              | SS-5            | 09/16/2020   | Chemtech -SO |
| 09/24/2020 | Solid  | L4017-06 | Percent Solids | Cool 4 deg C | EARTH03  | P61              | SS-6            | 09/16/2020   | Chemtech -SO |
| 09/24/2020 | Solid  | L4017-07 | Percent Solids | Cool 4 deg C | EARTH03  | P61              | SS-7            | 09/16/2020   | Chemtech -SO |
| 09/24/2020 | Solid  | L4017-08 | Percent Solids | Cool 4 deg C | EARTH03  | P61              | SS-8            | 09/16/2020   | Chemtech -SO |
| 09/24/2020 | Solid  | L4017-09 | Percent Solids | Cool 4 deg C | EARTH03  | P61              | SS-9            | 09/16/2020   | Chemtech -SO |
| 09/24/2020 | Solid  | L4017-10 | Percent Solids | Cool 4 deg C | EARTH03  | P61              | SS-10           | 09/16/2020   | Chemtech -SO |
| 09/24/2020 | Solid  | L4017-11 | Percent Solids | Cool 4 deg C | EARTH03  | P61              | SS-11           | 09/16/2020   | Chemtech -SO |

Date/Time 09-17-2020 16:10  
 Received by: Jo (wet copy)  
 Relinquished by: Fe (ext lab)

Date/Time 09-17-2020 18:00  
 Received by: Fe (ext lab)  
 Relinquished by: Jo (ext lab)

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-091720

WorkList ID : 142414

Department : Wet-Chemistry

Date : 09-17-2020 10:04:15

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample          | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|--------------------------|--------------|--------------|
| 09/21/2020 | Solid  | L4034-06 | Percent Solids | Cool 4 deg C | TULL02   | P61              | SOIL-SP-MH-C01-MH-J09-02 | 09/16/2020   | Chemtech -SO |
| 09/25/2020 | Solid  | L4051-01 | Percent Solids | Cool 4 deg C | PARS15   | P41              | KTS-SB-02-1-2            | 09/15/2020   | Chemtech -SO |
| 09/26/2020 | Solid  | L4051-02 | Percent Solids | Cool 4 deg C | PARS15   | P41              | KTS-SB-01-1-2            | 09/16/2020   | Chemtech -SO |
| 09/26/2020 | Solid  | L4051-03 | Percent Solids | Cool 4 deg C | PARS15   | P41              | KTS-IB-01-1-2            | 09/16/2020   | Chemtech -SO |
| 09/26/2020 | Solid  | L4051-04 | Percent Solids | Cool 4 deg C | PARS15   | P41              | KTS-IB-02-1-2            | 09/16/2020   | Chemtech -SO |
| 09/26/2020 | Solid  | L4051-05 | Percent Solids | Cool 4 deg C | PARS15   | P41              | KTS-ST-02-1-2            | 09/16/2020   | Chemtech -SO |
| 09/26/2020 | Solid  | L4051-06 | Percent Solids | Cool 4 deg C | PARS15   | P41              | KTS-ST-01-1-2            | 09/16/2020   | Chemtech -SO |
| 09/24/2020 | Solid  | L4052-01 | Percent Solids | Cool 4 deg C | PSEG01   | P41              | HEF317G-TOP              | 09/17/2020   | Chemtech -SO |
| 09/24/2020 | Solid  | L4052-02 | Percent Solids | Cool 4 deg C | PSEG01   | P41              | HED160B-TOP              | 09/17/2020   | Chemtech -SO |
| 09/24/2020 | Solid  | L4052-03 | Percent Solids | Cool 4 deg C | PSEG01   | P41              | HEF317G-BOTTOM           | 09/17/2020   | Chemtech -SO |
| 09/24/2020 | Solid  | L4052-04 | Percent Solids | Cool 4 deg C | PSEG01   | P41              | HED160B-BOTTOM           | 09/17/2020   | Chemtech -SO |
| 09/22/2020 | Solid  | L4052-06 | Percent Solids | Cool 4 deg C | PSEG01   | P41              | CO-76728                 | 09/17/2020   | Chemtech -SO |
| 09/24/2020 | Solid  | L4053-01 | Percent Solids | Cool 4 deg C | PSEG01   | P51              | 1813                     | 09/17/2020   | Chemtech -SO |
| 09/24/2020 | Solid  | L4053-03 | Percent Solids | Cool 4 deg C | PSEG01   | P51              | VNJ-231                  | 09/17/2020   | Chemtech -SO |
| 09/24/2020 | Solid  | L4053-04 | Percent Solids | Cool 4 deg C | PSEG01   | P51              | VNJ-231                  | 09/17/2020   | Chemtech -SO |
| 09/24/2020 | Solid  | L4054-01 | Percent Solids | Cool 4 deg C | PSEG01   | P51              | KZZ075N-TOP              | 09/17/2020   | Chemtech -SO |
| 09/24/2020 | Solid  | L4054-02 | Percent Solids | Cool 4 deg C | PSEG01   | P51              | KZZ075N-BOTTOM           | 09/17/2020   | Chemtech -SO |
| 09/24/2020 | Solid  | L4057-01 | Percent Solids | Cool 4 deg C | PSEG01   | P51              | JA-DRUM-COMP             | 09/17/2020   | Chemtech -SO |
| 09/24/2020 | Solid  | L4057-02 | Percent Solids | Cool 4 deg C | PSEG01   | P51              | JA-DRUM-COMP             | 09/17/2020   | Chemtech -SO |
| 09/27/2020 | Solid  | L4059-01 | Percent Solids | Cool 4 deg C | ENTE01   | P61              | PAV-B33-091720-0-1       | 09/17/2020   | Chemtech -SO |
| 09/27/2020 | Solid  | L4059-03 | Percent Solids | Cool 4 deg C | ENTE01   | P61              | PAV-B33-091720-0-10      | 09/17/2020   | Chemtech -SO |
| 09/27/2020 | Solid  | L4059-05 | Percent Solids | Cool 4 deg C | ENTE01   | P61              | PAV-B33-091720-10-19     | 09/17/2020   | Chemtech -SO |

Date/Time 09.17.2020 16:10  
 Received by: Jo (Wet Chem)  
 Relinquished by: Jo (Wet Chem)  
 Date/Time 09.17.2020 18:00  
 Received by: Pe (ext Lab)  
 Relinquished by: JN (Wet Chem)

YB 111029

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-091720      WorkList ID : 142414      Department : Wet-Chemistry      Date : 09-17-2020 10:04:15

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample      | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|----------------------|--------------|--------------|
| 09/27/2020 | Solid  | L4059-07 | Percent Solids | Cool 4 deg C | ENTE01   | P61              | PAV-B33-091720-18-19 | 09/17/2020   | Chemtech -SO |
| 09/22/2020 | Solid  | L4062-01 | Percent Solids | Cool 4 deg C | DVIR01   | P63              | EROC-CF-1            | 09/16/2020   | Chemtech -SO |
| 09/22/2020 | Solid  | L4062-02 | Percent Solids | Cool 4 deg C | DVIR01   | P63              | EROC-CF-2            | 09/16/2020   | Chemtech -SO |
| 09/22/2020 | Solid  | L4062-03 | Percent Solids | Cool 4 deg C | DVIR01   | P63              | EROC-NI4-1           | 09/16/2020   | Chemtech -SO |
| 09/22/2020 | Solid  | L4062-04 | Percent Solids | Cool 4 deg C | DVIR01   | P63              | EROC-NI4-2           | 09/16/2020   | Chemtech -SO |
| 09/26/2020 | Solid  | L4067-01 | Percent Solids | Cool 4 deg C | CLOU03   | P61              | PCB-091620-SR-01     | 09/16/2020   | Chemtech -SO |
| 09/26/2020 | Solid  | L4067-02 | Percent Solids | Cool 4 deg C | CLOU03   | P61              | PCB-091620-SR-02     | 09/16/2020   | Chemtech -SO |
| 09/22/2020 | Solid  | L4068-01 | Percent Solids | Cool 4 deg C | DEWB01   | P52              | PE-1A-(1-1.5)        | 09/16/2020   | Chemtech -SO |
| 09/22/2020 | Solid  | L4068-02 | Percent Solids | Cool 4 deg C | DEWB01   | P52              | PE-2A-(1-1.5)        | 09/16/2020   | Chemtech -SO |
| 09/22/2020 | Solid  | L4068-03 | Percent Solids | Cool 4 deg C | DEWB01   | P52              | PE-3A-(1-1.5)        | 09/16/2020   | Chemtech -SO |
| 09/22/2020 | Solid  | L4068-04 | Percent Solids | Cool 4 deg C | DEWB01   | P52              | PE-4A-(1-1.5)        | 09/16/2020   | Chemtech -SO |
| 09/22/2020 | Solid  | L4068-05 | Percent Solids | Cool 4 deg C | DEWB01   | P52              | PE-5-(5-5.5)         | 09/16/2020   | Chemtech -SO |
| 09/22/2020 | Solid  | L4068-06 | Percent Solids | Cool 4 deg C | DEWB01   | P52              | PE-1B-(4.5-5)        | 09/16/2020   | Chemtech -SO |
| 09/22/2020 | Solid  | L4068-07 | Percent Solids | Cool 4 deg C | DEWB01   | P52              | PE-2B-(4.5-5)        | 09/16/2020   | Chemtech -SO |
| 09/22/2020 | Solid  | L4068-08 | Percent Solids | Cool 4 deg C | DEWB01   | P52              | PE-3B-(4.5-5)        | 09/16/2020   | Chemtech -SO |
| 09/22/2020 | Solid  | L4068-09 | Percent Solids | Cool 4 deg C | DEWB01   | P52              | PE-4B-(4.5-5)        | 09/16/2020   | Chemtech -SO |
| 09/22/2020 | Solid  | L4068-10 | Percent Solids | Cool 4 deg C | DEWB01   | P52              | DUPLICATE            | 09/16/2020   | Chemtech -SO |
| 09/24/2020 | Solid  | L4073-01 | Percent Solids | Cool 4 deg C | EARTH03  | P61              | H-1                  | 09/15/2020   | Chemtech -SO |
| 09/24/2020 | Solid  | L4073-02 | Percent Solids | Cool 4 deg C | EARTH03  | P61              | H-1A                 | 09/15/2020   | Chemtech -SO |
| 09/26/2020 | Solid  | L4074-01 | Percent Solids | Cool 4 deg C | PARS15   | P63              | KTS-IB-0102-0-6      | 09/16/2020   | Chemtech -SO |
| 09/26/2020 | Solid  | L4074-02 | Percent Solids | Cool 4 deg C | PARS15   | P63              | KTS-ST-0102-0-6      | 09/16/2020   | Chemtech -SO |
| 09/26/2020 | Solid  | L4075-01 | Percent Solids | Cool 4 deg C | PARS15   | P63              | KTS-WC-S-IB-ST       | 09/16/2020   | Chemtech -SO |

Date/Time 09.17.2020 16:10      Date/Time 09.17.2020 18:00  
 Received by: Jb Wet-Chem      Received by: Pe (ext carb)  
 Relinquished by: Pe (ext carb)      Relinquished by: Jb (ext carb)