



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB111066

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L3869-06	OR-02-091820	1	100.03	0.00	09/21/2020	09:05
2	L3869-06DUP	OR-02-091820DUP	1	100.02	0.00	09/21/2020	09:15
3	L3870-06	SU-02-091720	1	100.06	0.00	09/21/2020	09:25
4	L3871-13	TR-05-091720	1	100.07	0.00	09/21/2020	09:35
5	L3871-19	TR-08-091720	1	100.08	0.00	09/21/2020	09:45
6	L4032-02	SOIL-BORING	1	100.04	0.00	09/21/2020	10:05

WORKLIST(Hardcopy Internal Chain)

LB111066

WorkList Name : PF91820 WorkList ID : 142449 Department : Wet-Chemistry Date : 09-18-2020 09:11:36

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
09/18/2020	Solid	L3869-06 ✓	Paint Filter	Cool 4 deg C	PSEG05		OR-02-091820	09/18/2020	9095B
09/17/2020	Solid	L3870-06 ✓	Paint Filter	Cool 4 deg C	PSEG05		SU-02-091720	09/17/2020	9095B
09/17/2020	Solid	L3871-13 ✓	Paint Filter	Cool 4 deg C	PSEG05		TR-05-091720	09/17/2020	9095B
09/17/2020	Solid	L3871-19 ✓	Paint Filter	Cool 4 deg C	PSEG05		TR-08-091720	09/17/2020	9095B
09/16/2020	Solid	L4032-02 ✓	Paint Filter	Cool 4 deg C	PSEG01	P42	SOIL-BORING	09/16/2020	9095B

Date/Time 09/21/2020 08:45
 Received by: KS (Wehchen)
 Relinquished by: KS (Wehchen)

Date/Time 09/21/2020 10:10
 Received by: KS (Wehchen)
 Relinquished by: KS (Wehchen)