



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 9/25/2020

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 09/24/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:22
Out Date: 09/25/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB111130

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
L4125-01	CS-19	1	1.13	9.87	9.53	96.1	
L4125-02	CS-20	2	1.16	9.9	9.56	96.1	
L4125-03	CS-21	3	1.12	9.52	9.22	96.4	
L4125-04	CS-22	4	1.15	9.5	9.18	96.2	
L4125-05	CS-23	5	1.19	9.77	9.43	96.0	
L4125-06	CS-24	6	1.16	9.63	9.3	96.1	
L4125-07	CS-25	7	1.14	9.97	9.6	95.8	
L4125-08	CS-26	8	1.16	9.77	9.42	95.9	
L4125-09	CS-27	9	1.18	9.6	9.26	96.0	
L4125-10	CS-28	10	1.1	9.74	9.42	96.3	
L4125-11	CS-29	11	1.18	9.62	9.29	96.1	
L4125-12	CS-30	12	1.18	9.91	9.56	96.0	
L4125-13	CS-31	13	1.18	9.87	9.52	96.0	
L4125-14	CS-32	14	1.17	9.68	9.35	96.1	
L4125-15	CS-33	15	1.15	9.73	9.4	96.2	
L4125-16	CS-34	16	1.13	9.85	9.52	96.2	
L4125-17	CS-35	17	1.13	9.66	9.31	95.9	
L4125-18	CS-36	18	1.16	9.75	9.41	96.0	
L4127-01	B-3 (9-11)	19	1.13	9.74	8.77	88.7	
L4127-02	B-3 (13-15)	20	1.16	9.55	8.85	91.7	
L4127-03	B-2 (4-5)	21	1.17	9.71	9.11	93.0	
L4127-04	L4127-03MS	22	1.17	9.71	9.11	93.0	
L4127-05	L4127-03MSD	23	1.17	9.71	9.11	93.0	
L4127-06	B-2 (9-11)	24	1.13	9.87	8.96	89.6	
L4127-07	B-2 (11-13)	25	1.19	9.98	8.91	87.8	
L4128-01	DRUM-1	43	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
L4128-02	DRUM-1-5	44	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
L4128-04	DRUM-1-5-EPH-2	45	1.00	2.00	2.00	100.0	CONCRETE SAMPLE



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 9/25/2020

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 09/24/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:22
Out Date: 09/25/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB111130

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
L4129-01	32648	46	1.13	9.81	9.72	99.0	
L4129-02	32649	47	1.12	9.62	9.55	99.2	
L4129-03	32650	48	1.15	9.53	9.43	98.8	
L4129-04	32651	49	1.13	9.53	9.48	99.4	
L4129-05	32652	50	1.14	9.66	9.58	99.1	
L4129-06	32653	51	1.15	9.87	9.83	99.5	
L4129-07	32654	52	1.18	9.84	9.8	99.5	
L4129-08	32655	53	1.11	9.62	9.52	98.8	
L4129-09	32656	54	1.14	9.85	9.8	99.4	
L4129-10	32657	55	1.13	9.69	9.6	98.9	
L4129-11	32658	56	1.19	9.98	9.8	98.0	
L4129-12	32659	57	1.15	9.59	9.48	98.7	
L4129-13	32660	58	1.13	9.76	9.46	96.5	
L4129-14	32661	59	1.17	9.52	9.41	98.7	
L4129-15	32662	60	1.15	9.95	9.39	93.6	
L4129-16	DRUM-COMP-1	61	1.13	9.69	9.47	97.4	
L4129-17	DRUM-COMP-2	62	1.13	9.81	9.63	97.9	
L4129-18	DRUM-COMP-3	63	1.11	9.77	9.72	99.4	
L4130-01	D-84	26	1.15	9.95	8.02	78.1	
L4131-01	VNJ-215	27	1.13	9.67	8.33	84.3	
L4131-02	VNJ-215	28	1.14	9.9	7.48	72.4	
L4132-01	CHRT-25603	29	1.18	9.75	8.95	90.7	
L4132-02	CHRT-25603	30	1.13	9.64	9.05	93.1	
L4132-03	CHRT-20413	31	1.16	9.84	9.15	92.1	
L4132-04	CHRT-20413	32	1.14	9.71	9.42	96.6	
L4148-01	CTB-WEST-SOIL- (MERL)	64	1.13	9.76	8.53	85.7	
L4152-01	WR-PILE-1-2	33	1.16	9.61	8.98	92.5	
L4152-02	WR-PILE-3-4	34	1.19	9.88	9.55	96.2	



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 9/25/2020

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 09/24/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:22
Out Date: 09/25/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB111130

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
L4152-03	WR-PILE-5-7	35	1.14	9.61	8.66	88.8	
L4152-04	WR-PILE-1-2	36	1.18	9.6	8.89	91.6	
L4152-05	WR-PILE-3-4	37	1.16	9.97	9.47	94.3	
L4152-06	WR-PILE-5-7	38	1.15	9.97	9.18	91.0	
L4155-01	FK-GF-02-061-A	39	1.13	9.86	8.91	89.1	
L4155-02	FK-GF-02-061-A	40	1.15	9.94	9.13	90.8	
L4155-03	FK-GF-02-061-B	41	1.14	9.92	9.28	92.7	
L4155-04	FK-GF-02-061-B	42	1.13	9.92	9.04	90.0	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$