



PERCENT SOLID

Supervisor: apatel  
Analyst: jignesh  
Date: 10/7/2020

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:10  
In Date: 10/06/2020  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:11  
Out Date: 10/07/2020  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB111328

| Lab ID   | Client SampleID   | Dish # | Dish Wt (g) (A) | Dish + Sample Wt (g) (B) | Dish+Dry Sample Wt (g) (C) | % Solid | Comments |
|----------|-------------------|--------|-----------------|--------------------------|----------------------------|---------|----------|
| L4221-06 | OK-01-100620      | 58     | 1.15            | 9.75                     | 9.33                       | 95.1    |          |
| L4221-07 | OK-01-100620      | 59     | 1.13            | 9.61                     | 9.11                       | 94.1    |          |
| L4221-08 | OK-01-100620-1    | 60     | 1.13            | 9.76                     | 9.36                       | 95.4    |          |
| L4224-01 | OR-02-100620      | 61     | 1.18            | 9.92                     | 9.55                       | 95.8    |          |
| L4224-02 | OR-02-100620      | 62     | 1.15            | 9.75                     | 9.4                        | 95.9    |          |
| L4224-03 | OR-02-100620-1    | 63     | 1.14            | 9.82                     | 9.61                       | 97.6    |          |
| L4224-04 | OR-02-100620-2    | 64     | 1.19            | 9.78                     | 9.22                       | 93.5    |          |
| L4225-01 | SU-04-100620      | 65     | 1.17            | 9.54                     | 9.28                       | 96.9    |          |
| L4225-02 | SU-04-100620      | 66     | 1.19            | 9.76                     | 9.58                       | 97.9    |          |
| L4225-03 | SU-04-100620-1    | 67     | 1.17            | 9.55                     | 9.5                        | 99.4    |          |
| L4272-01 | MH-1- (6)         | 1      | 1.14            | 9.76                     | 8.98                       | 91.0    |          |
| L4272-02 | MH-1- (6) -EPH-2  | 2      | 1.14            | 9.59                     | 8.77                       | 90.3    |          |
| L4272-03 | MH-1- (6)         | 3      | 1.17            | 9.71                     | 8.91                       | 90.6    |          |
| L4272-04 | MH-2- (6)         | 4      | 1.18            | 9.58                     | 8.84                       | 91.2    |          |
| L4272-05 | MH-2- (6) -EPH-2  | 5      | 1.12            | 9.66                     | 8.76                       | 89.5    |          |
| L4272-06 | MH-2- (6)         | 6      | 1.14            | 9.9                      | 9.06                       | 90.4    |          |
| L4272-07 | MH-3- (6)         | 7      | 1.15            | 9.95                     | 8.95                       | 88.6    |          |
| L4272-08 | MH-3- (6) -EPH-2  | 8      | 1.11            | 9.82                     | 8.81                       | 88.4    |          |
| L4272-09 | MH-3- (6)         | 9      | 1.14            | 9.72                     | 8.51                       | 85.9    |          |
| L4272-10 | GIS-1- (6)        | 10     | 1.18            | 9.68                     | 8.6                        | 87.3    |          |
| L4272-11 | GIS-1- (6) -EPH-2 | 11     | 1.18            | 9.55                     | 8.36                       | 85.8    |          |
| L4272-12 | GIS-1- (6)        | 12     | 1.15            | 9.97                     | 8.33                       | 81.4    |          |
| L4272-13 | GIS-2- (6)        | 13     | 1.13            | 9.78                     | 8.96                       | 90.5    |          |
| L4272-14 | GIS-2- (6) -EPH-2 | 14     | 1.14            | 9.51                     | 8.7                        | 90.3    |          |
| L4272-15 | GIS-2- (6)        | 15     | 1.13            | 9.57                     | 8.69                       | 89.6    |          |
| L4272-16 | GIS-3- (6)        | 16     | 1.14            | 9.62                     | 9.16                       | 94.6    |          |
| L4272-17 | GIS-3- (6) -EPH-2 | 17     | 1.17            | 9.53                     | 9.08                       | 94.6    |          |
| L4272-18 | GIS-3- (6)        | 18     | 1.11            | 9.79                     | 9.32                       | 94.6    |          |



PERCENT SOLID

Supervisor: apatel  
Analyst: jignesh  
Date: 10/7/2020

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:10  
In Date: 10/06/2020  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:11  
Out Date: 10/07/2020  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB111328

| Lab ID   | Client SampleID    | Dish # | Dish Wt(g) (A) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments |
|----------|--------------------|--------|----------------|-------------------------|---------------------------|---------|----------|
| L4272-19 | GIS-4- (6)         | 19     | 1.16           | 9.75                    | 9.26                      | 94.3    |          |
| L4272-20 | GIS-4- (6) -EPH-2  | 20     | 1.12           | 9.58                    | 9.06                      | 93.9    |          |
| L4272-21 | GIS-4- (6)         | 21     | 1.14           | 9.83                    | 9.33                      | 94.2    |          |
| L4272-22 | SC-1- (6.5)        | 22     | 1.13           | 9.58                    | 8.7                       | 89.6    |          |
| L4272-23 | SC-1- (6.5) -EPH-2 | 23     | 1.16           | 9.71                    | 8.78                      | 89.1    |          |
| L4272-24 | SC-1- (6.5)        | 24     | 1.13           | 9.59                    | 8.65                      | 88.9    |          |
| L4272-25 | SC-2- (6.5)        | 25     | 1.14           | 9.98                    | 9.16                      | 90.7    |          |
| L4272-26 | SC-2- (6.5) -EPH-2 | 26     | 1.1            | 9.86                    | 9.02                      | 90.4    |          |
| L4272-27 | SC-2- (6.5)        | 27     | 1.18           | 9.66                    | 8.86                      | 90.6    |          |
| L4272-28 | SC-3- (6.5)        | 28     | 1.18           | 9.75                    | 8.85                      | 89.5    |          |
| L4272-29 | SC-3- (6.5) -EPH-2 | 29     | 1.13           | 9.88                    | 9.05                      | 90.5    |          |
| L4272-30 | SC-3- (6.5)        | 30     | 1.14           | 9.54                    | 8.7                       | 90.0    |          |
| L4272-31 | SC-4- (6.5)        | 31     | 1.14           | 9.94                    | 9.26                      | 92.3    |          |
| L4272-32 | SC-4- (6.5) -EPH-2 | 32     | 1.17           | 9.68                    | 8.83                      | 90.0    |          |
| L4272-33 | SC-4- (6.5)        | 33     | 1.18           | 9.56                    | 8.7                       | 89.7    |          |
| L4272-34 | SC-5- (6.5)        | 34     | 1.14           | 9.66                    | 8.79                      | 89.8    |          |
| L4272-35 | SC-5- (6.5) -EPH-2 | 35     | 1.13           | 9.83                    | 8.98                      | 90.2    |          |
| L4272-36 | SC-5- (6.5)        | 36     | 1.14           | 9.97                    | 9.04                      | 89.5    |          |
| L4272-37 | SC-6- (6.5)        | 37     | 1.18           | 9.69                    | 9.14                      | 93.5    |          |
| L4272-38 | SC-6- (6.5) -EPH-2 | 38     | 1.18           | 9.66                    | 9.09                      | 93.3    |          |
| L4272-39 | SC-6- (6.5)        | 39     | 1.13           | 9.77                    | 9.15                      | 92.8    |          |
| L4272-40 | SC-7- (6.5)        | 40     | 1.17           | 9.97                    | 9.24                      | 91.7    |          |
| L4272-41 | SC-7- (6.5) -EPH-2 | 41     | 1.16           | 9.75                    | 8.99                      | 91.2    |          |
| L4272-42 | SC-7- (6.5)        | 42     | 1.14           | 9.65                    | 8.84                      | 90.5    |          |
| L4272-43 | SC-8- (6.5)        | 43     | 1.19           | 9.77                    | 9.33                      | 94.9    |          |
| L4272-44 | SC-8- (6.5) -EPH-2 | 44     | 1.16           | 9.82                    | 9.4                       | 95.2    |          |
| L4272-45 | SC-8- (6.5)        | 45     | 1.14           | 9.89                    | 9.48                      | 95.3    |          |
| L4272-46 | SC-9- (3.5)        | 46     | 1.18           | 9.9                     | 9.08                      | 90.6    |          |



PERCENT SOLID

Supervisor: apatel  
Analyst: jignesh  
Date: 10/7/2020

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:10  
In Date: 10/06/2020  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:11  
Out Date: 10/07/2020  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB111328

| Lab ID   | Client SampleID   | Dish # | Dish Wt(g) (A) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments    |
|----------|-------------------|--------|----------------|-------------------------|---------------------------|---------|-------------|
| L4272-47 | SC-9-(3.5)-EPH-2  | 47     | 1.16           | 9.76                    | 8.92                      | 90.2    |             |
| L4272-48 | SC-9-(3.5)        | 48     | 1.16           | 9.57                    | 8.8                       | 90.8    |             |
| L4272-49 | SC-10-(3.5)       | 49     | 1.17           | 9.52                    | 8.6                       | 89.0    |             |
| L4272-50 | SC-10-(3.5)-EPH-2 | 50     | 1.17           | 9.82                    | 8.83                      | 88.6    |             |
| L4272-51 | SC-10-(3.5)       | 51     | 1.18           | 9.96                    | 9.3                       | 92.5    |             |
| L4272-52 | SC-11-(3.5)       | 52     | 1.14           | 9.65                    | 8.44                      | 85.8    |             |
| L4272-53 | SC-11-(3.5)-EPH-2 | 53     | 1.13           | 9.63                    | 8.45                      | 86.1    |             |
| L4272-54 | SC-11-(3.5)       | 54     | 1.16           | 9.86                    | 9.15                      | 91.8    |             |
| L4272-55 | SC-12-(3.5)       | 55     | 1.18           | 9.72                    | 8.96                      | 91.1    |             |
| L4272-56 | SC-12-(3.5)-EPH-2 | 56     | 1.1            | 9.61                    | 8.81                      | 90.6    |             |
| L4272-57 | SC-12-(3.5)       | 57     | 1.18           | 9.97                    | 9.26                      | 91.9    |             |
| L4279-01 | S-1               | 68     | 1.12           | 9.74                    | 4.35                      | 37.5    |             |
| L4279-03 | S-2               | 69     | 1.18           | 9.56                    | 4.71                      | 42.1    |             |
| L4281-01 | 23849             | 70     | 1.00           | 2.00                    | 2.00                      | 100.0   | OILY DEBRIS |
| L4281-02 | 31193             | 71     | 1.13           | 9.59                    | 8.89                      | 91.7    |             |
| L4281-03 | 49-93             | 72     | 1.14           | 9.74                    | 8.49                      | 85.5    |             |
| L4282-01 | 31068             | 73     | 1.14           | 9.51                    | 9.33                      | 97.8    |             |
| L4282-02 | 989               | 74     | 1.00           | 2.00                    | 2.00                      | 100.0   | OILY DEBRIS |
| L4282-03 | 68-89             | 75     | 1.13           | 9.53                    | 9.36                      | 98.0    |             |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

# WORKLIST(Hardcopy Internal Chain)

LB 111328

WorkList Name : %1-100620      WorkList ID : 142969      Department : Wet-Chemistry      Date : 10-06-2020 08:28:38

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample  | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|------------------|--------------|--------------|
| 10/09/2020 | Solid  | L4221-06 | Percent Solids | Cool 4 deg C | PSEG05   |                  | OK-01-100620     | 10/06/2020   | Chemtech -SO |
| 10/09/2020 | Solid  | L4221-07 | Percent Solids | Cool 4 deg C | PSEG05   |                  | OK-01-100620     | 10/06/2020   | Chemtech -SO |
| 10/09/2020 | Solid  | L4221-08 | Percent Solids | Cool 4 deg C | PSEG05   |                  | OK-01-100620-1   | 10/06/2020   | Chemtech -SO |
| 10/09/2020 | Solid  | L4224-01 | Percent Solids | Cool 4 deg C | PSEG05   | O32              | OR-02-100620     | 10/06/2020   | Chemtech -SO |
| 10/09/2020 | Solid  | L4224-02 | Percent Solids | Cool 4 deg C | PSEG05   | O32              | OR-02-100620     | 10/06/2020   | Chemtech -SO |
| 10/09/2020 | Solid  | L4224-03 | Percent Solids | Cool 4 deg C | PSEG05   | O32              | OR-02-100620-1   | 10/06/2020   | Chemtech -SO |
| 10/09/2020 | Solid  | L4224-04 | Percent Solids | Cool 4 deg C | PSEG05   | O32              | OR-02-100620-2   | 10/06/2020   | Chemtech -SO |
| 10/09/2020 | Solid  | L4225-01 | Percent Solids | Cool 4 deg C | PSEG05   | O33              | SU-04-100620     | 10/06/2020   | Chemtech -SO |
| 10/09/2020 | Solid  | L4225-02 | Percent Solids | Cool 4 deg C | PSEG05   | O33              | SU-04-100620     | 10/06/2020   | Chemtech -SO |
| 10/09/2020 | Solid  | L4225-03 | Percent Solids | Cool 4 deg C | PSEG05   | O33              | SU-04-100620-1   | 10/06/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-01 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | MH-1-1(6)        | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-02 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | MH-1-1(6)-EPH-2  | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-03 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | MH-1-1(6)        | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-04 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | MH-2-2(6)        | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-05 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | MH-2-2(6)-EPH-2  | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-06 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | MH-2-2(6)        | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-07 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | MH-3-3(6)        | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-08 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | MH-3-3(6)-EPH-2  | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-09 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | MH-3-3(6)        | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-10 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | GIS-1-1(6)       | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-11 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | GIS-1-1(6)-EPH-2 | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-12 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | GIS-1-1(6)       | 10/05/2020   | Chemtech -SO |

Date/Time 10-06-2020 15:25      Date/Time 10-06-2020 17:20  
 Received by: Jo (wet-chem)      Received by: KS (wet-chem)  
 Relinquished by: KS (wet-chem)      Relinquished by: Jo (wet-chem)

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-100620      WorkList ID : 142969      Department : Wet-Chemistry      Date : 10-06-2020 08:28:38

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample  | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|------------------|--------------|--------------|
| 10/08/2020 | Solid  | L4272-13 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | GIS-2-(6)        | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-14 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | GIS-2-(6)-EPH-2  | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-15 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | GIS-2-(6)        | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-16 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | GIS-3-(6)        | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-17 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | GIS-3-(6)-EPH-2  | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-18 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | GIS-3-(6)        | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-19 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | GIS-4-(6)        | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-20 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | GIS-4-(6)-EPH-2  | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-21 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | GIS-4-(6)        | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-22 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-1-(6.5)       | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-23 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-1-(6.5)-EPH-2 | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-24 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-1-(6.5)       | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-25 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-2-(6.5)       | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-26 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-2-(6.5)-EPH-2 | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-27 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-2-(6.5)       | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-28 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-3-(6.5)       | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-29 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-3-(6.5)-EPH-2 | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-30 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-3-(6.5)       | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-31 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-4-(6.5)       | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-32 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-4-(6.5)-EPH-2 | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-33 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-4-(6.5)       | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-34 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-5-(6.5)       | 10/05/2020   | Chemtech -SO |

Date/Time 10-06-2020 13:25  
 Received by: JP (Wet Chem)  
 Relinquished by: JP (Wet Chem)

Date/Time 10-06-2020 17:20  
 Received by: KS (Wet Chem)  
 Relinquished by: JP (Wet Chem)

113328

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-100620      WorkList ID : 142969      Department : Wet-Chemistry      Date : 10-06-2020 08:28:38

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample   | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-------------------|--------------|--------------|
| 10/08/2020 | Solid  | L4272-35 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-5-(6.5)-EPH-2  | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-36 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-5-(6.5)        | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-37 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-6-(6.5)        | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-38 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-6-(6.5)-EPH-2  | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-39 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-6-(6.5)        | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-40 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-7-(6.5)        | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-41 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-7-(6.5)-EPH-2  | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-42 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-7-(6.5)        | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-43 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-8-(6.5)        | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-44 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-8-(6.5)-EPH-2  | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-45 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-8-(6.5)        | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-46 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-9-(3.5)        | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-47 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-9-(3.5)-EPH-2  | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-48 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-9-(3.5)        | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-49 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-10-(3.5)       | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-50 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-10-(3.5)-EPH-2 | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-51 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-10-(3.5)       | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-52 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-11-(3.5)       | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-53 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-11-(3.5)-EPH-2 | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-54 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-11-(3.5)       | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-55 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-12-(3.5)       | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4272-56 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-12-(3.5)-EPH-2 | 10/05/2020   | Chemtech -SO |

Date/Time 10-06-2020 15:25      Date/Time 10-06-2020 17:20  
Received by: JP (wet-chem)      Received by: KS (wet-chem)  
Relinquished by: KS (wet-chem)      Relinquished by: JP (wet-chem)      am



# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-100620

WorkList ID : 142969

Department : Wet-Chemistry

Date : 10-06-2020 08:28:38

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-----------------|--------------|--------------|
| 10/08/2020 | Solid  | L4272-57 | Percent Solids | Cool 4 deg C | PSEG01   | O31              | SC-12-(3.5)     | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4279-01 | Percent Solids | Cool 4 deg C | ENTA05   | O21              | S-1             | 10/05/2020   | Chemtech -SO |
| 10/08/2020 | Solid  | L4279-03 | Percent Solids | Cool 4 deg C | ENTA05   | O21              | S-2             | 10/05/2020   | Chemtech -SO |
| 10/16/2020 | Solid  | L4281-01 | Percent Solids | Cool 4 deg C | PSEG01   | O32              | 23849           | 10/06/2020   | Chemtech -SO |
| 10/16/2020 | Solid  | L4281-02 | Percent Solids | Cool 4 deg C | PSEG01   | O32              | 31193           | 10/06/2020   | Chemtech -SO |
| 10/16/2020 | Solid  | L4281-03 | Percent Solids | Cool 4 deg C | PSEG01   | O32              | 49-93           | 10/06/2020   | Chemtech -SO |
| 10/16/2020 | Solid  | L4282-01 | Percent Solids | Cool 4 deg C | PSEG01   | O33              | 31068           | 10/06/2020   | Chemtech -SO |
| 10/16/2020 | Solid  | L4282-02 | Percent Solids | Cool 4 deg C | PSEG01   | O33              | 989             | 10/06/2020   | Chemtech -SO |
| 10/16/2020 | Solid  | L4282-03 | Percent Solids | Cool 4 deg C | PSEG01   | O33              | 68-89           | 10/06/2020   | Chemtech -SO |

Date/Time

Received by:

Relinquished by:

10-06-2020 15:25  
 JS (Wetchem)  
 JS (Wetchem)

Date/Time

Received by:

Relinquished by:

10-06-2020 17:20  
 JS (Wetchem)  
 JS (Wetchem)