



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB111390

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L4294-01	TP- (0-3) - (3-5) -COMP	1	100.03	0.00	10/08/2020	09:15
2	L4294-01DUP	TP- (0-3) - (3-5) -COMP	1	100.01	0.00	10/08/2020	09:25
3	L4297-01	RO-RBR-200031	1	100.05	0.00	10/08/2020	09:32
4	L4297-03	RO-RBR-200034	1	100.08	0.00	10/08/2020	09:40
5	L4298-02	RBR-559	1	100.07	0.00	10/08/2020	09:48

WORKLIST(Hardcopy Internal Chain)

LB111390

WorkList Name : pf10820 WorkList ID : 143079 Department : Wet-Chemistry Date : 10-08-2020 08:55:23

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/07/2020	Solid	L4294-01	Paint Filter	Cool 4 deg C	PSEG01	O41	TP-(0-3)-(3-5)-COMP	10/07/2020	9095B
10/07/2020	Solid	L4297-01	Paint Filter	Cool 4 deg C	PSEG01	O41	RO-RBR-200031	10/07/2020	9095B
10/07/2020	Solid	L4297-03	Paint Filter	Cool 4 deg C	PSEG01	O41	RO-RBR-200034	10/07/2020	9095B
10/07/2020	Solid	L4298-02	Paint Filter	Cool 4 deg C	PSEG01	O41	RBR-559	10/07/2020	9095B

Date/Time 10/8/2020 9:00
 Received by: KS (wetchem)
 Relinquished by: JRC (wetchem)

Date/Time 10/8/2020 09:55
 Received by: JRC (wetchem)
 Relinquished by: KS (wetchem)