



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB111449

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L4225-05	SU-01-100920	1	100.03	0.00	10/12/2020	11:25
2	L4225-05DUP	SU-01-100920DUP	1	100.07	0.00	10/12/2020	11:35
3	L4337-02	TP-4	1	100.05	0.00	10/12/2020	11:42
4	L4340-01	A-2332-MH11	1	100.09	0.00	10/12/2020	11:50
5	L4340-03	A-2332-MH12	1	100.06	0.00	10/12/2020	11:58
6	L4341-02	STOCK-PILE	1	100.04	0.00	10/12/2020	12:05

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf101220 WorkList ID : 143187 Department : Wet-Chemistry Date : 10-12-2020 10:13:21

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/09/2020	Solid	L4225-05	Paint Filter	Cool 4 deg C	PSEG05	O52	SU-01-100920	10/09/2020	9095B
10/09/2020	Solid	L4337-02	Paint Filter	Cool 4 deg C	PSEG01	O52	TP-4	10/09/2020	9095B
10/09/2020	Solid	L4340-01	Paint Filter	Cool 4 deg C	PSEG01	O52	A-2332-MH11	10/09/2020	9095B
10/09/2020	Solid	L4340-03	Paint Filter	Cool 4 deg C	PSEG01	O52	A-2332-MH12	10/09/2020	9095B
10/09/2020	Solid	L4341-02	Paint Filter	Cool 4 deg C	PSEG01	O52	STOCK-PILE	10/09/2020	9095B

Date/Time 10/12/20 11:15
 Received by: KS (watching) *[Signature]*
 Relinquished by: *[Signature]*

Date/Time 10/12/20 12:15
 Received by: *[Signature]*
 Relinquished by: *[Signature]*