



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB111533

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	L4227-01	BU-01-101420	1	100.03	0.00	10/15/2020	11:02
2	L4227-01DUP	BU-01-101420DUP	1	100.02	0.00	10/15/2020	11:10
3	L4392-02	TP-1	1	100.01	0.00	10/15/2020	11:18
4	L4392-06	TP-2	1	100.05	0.00	10/15/2020	11:25
5	L4392-10	TP-3	1	100.07	0.00	10/15/2020	11:32
6	L4392-14	TP-4	1	100.09	0.00	10/15/2020	11:40
7	L4393-04	SP-COMP	1	100.04	0.00	10/15/2020	11:48
8	L4406-01	JC-02-101420-A	1	100.06	0.00	10/15/2020	11:55
9	L4406-09	JC-02-101420-B	1	100.03	0.00	10/15/2020	12:05

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf101520 WorkList ID : 143331 Department : Wet-Chemistry Date : 10-15-2020 09:03:08

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/14/2020	Solid	L4227-01	Paint Filter	Cool 4 deg C	PSEG05	O12	BU-01-101420	10/14/2020	9095B
10/14/2020	Solid	L4392-02	Paint Filter	Cool 4 deg C	PSEG01	O12	TP-1	10/14/2020	9095B
10/14/2020	Solid	L4392-06	Paint Filter	Cool 4 deg C	PSEG01	O12	TP-2	10/14/2020	9095B
10/14/2020	Solid	L4392-10	Paint Filter	Cool 4 deg C	PSEG01	O12	TP-3	10/14/2020	9095B
10/14/2020	Solid	L4392-14	Paint Filter	Cool 4 deg C	PSEG01	O12	TP-4	10/14/2020	9095B
10/14/2020	Solid	L4393-04	Paint Filter	Cool 4 deg C	PSEG01	P11	SP-COMP	10/14/2020	9095B
10/14/2020	Solid	L4406-01	Paint Filter	Cool 4 deg C	PSEG05	O12	JC-02-101420-A	10/14/2020	9095B
10/14/2020	Solid	L4406-09	Paint Filter	Cool 4 deg C	PSEG05	O12	JC-02-101420-B	10/14/2020	9095B

Date/Time 10/15/2020 10:50
 Received by: KS (Webster)
 Relinquished by: JH (Webster)

Date/Time 10/15/2020 12:15
 Received by: JP (Webster)
 Relinquished by: KS (Webster)