



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB111550

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L4218-01	HD-01-101520	1	100.03	0.00	10/16/2020	11:02
2	L4218-01DUP	HD-01-101520DUP	1	100.05	0.00	10/16/2020	11:10
3	L4219-09	CL-02-101520	1	100.07	0.00	10/16/2020	11:18
4	L4223-01	PL-01-101420	1	100.09	0.00	10/16/2020	11:25
5	L4224-06	OR-03-101520	1	100.04	0.00	10/16/2020	11:35

WORKLIST(Hardcopy Internal Chain)

LB11550

WorkList Name : pf101620 WorkList ID : 143394 Department : Wet-Chemistry Date : 10-16-2020 09:21:41

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/15/2020	Solid	L4218-01	Paint Filter	Cool 4 deg C	PSEG05	O12	HD-01-101520	10/15/2020	9095B
10/15/2020	Solid	L4219-09	Paint Filter	Cool 4 deg C	PSEG05		CL-02-101520	10/15/2020	9095B
10/14/2020	Solid	L4223-01	Paint Filter	Cool 4 deg C	PSEG05	O12	PL-01-101420	10/14/2020	9095B
10/15/2020	Solid	L4224-06	Paint Filter	Cool 4 deg C	PSEG05		OR-03-101520	10/15/2020	9095B

Date/Time 10/16/2020 10:50
 Received by: KS (Wetchem)
 Relinquished by: KS (Wetchem)

Date/Time 10/16/2020 11:40
 Received by: KS (Wetchem)
 Relinquished by: KS (Wetchem)