



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB111600

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L4433-02	PR-SOIL-PILE	1	100.03	0.00	10/19/2020	16:10
2	L4433-02DUP	PR-SOIL-PILEDUP	1	100.02	0.00	10/19/2020	16:20
3	L4454-01	TEST-PIT	1	100.01	0.00	10/19/2020	16:32

WORKLIST(Hardcopy Internal Chain)

LB 111 600

WorkList Name : pf101920 WorkList ID : 143436 Department : Wet-Chemistry Date : 10-19-2020 09:16:25

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/16/2020	Solid	L4433-02	Paint Filter	Cool 4 deg C	PSEG01	O13	PR-SOIL-PILE	10/16/2020	9095B
10/16/2020	Solid	L4454-01	Paint Filter	Cool 4 deg C	PSEG01	O21	TEST-PIT	10/16/2020	9095B

Date/Time 10/19/2020
 Received by: KS (Wetchem)
 Relinquished by: SO (Cust)

Date/Time 10/19/2020 16:35
 Received by: KS (Wetchem)
 Relinquished by: KS (Wetchem)