



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB111639

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L4221-10	OK-03-102020	1	100.05	0.00	10/21/2020	12:10
2	L4221-10DUP	OK-03-102020DUP	1	100.07	0.00	10/21/2020	12:18
3	L4463-02	VNJ-238	1	100.09	0.00	10/21/2020	12:25
4	L4467-01	VB-15242	1	100.04	0.00	10/21/2020	12:32
5	L4467-03	VNJ-240	1	100.07	0.00	10/21/2020	12:40
6	L4467-05	357	1	100.02	0.00	10/21/2020	12:48
7	L4468-01	72-11977	1	100.06	0.00	10/21/2020	12:55

WORKLIST(Hardcopy Internal Chain)

LB 111 639

WorkList Name : pf102120

WorkList ID : 143516

Department : Wet-Chemistry

Date : 10-21-2020 09:12:25

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/20/2020	Solid	L4221-10 <i>G</i>	Paint Filter	Cool 4 deg C	PSEG05		OK-03-102020	10/20/2020	9095B
10/19/2020	Solid	L4463-02 <i>A</i>	Paint Filter	Cool 4 deg C	PSEG01	O31	VNJ-238	10/19/2020	9095B
10/20/2020	Solid	L4467-01 <i>H</i>	Paint Filter	Cool 4 deg C	PSEG01	O32	VB-15242	10/20/2020	9095B
10/20/2020	Solid	L4467-03 <i>H</i>	Paint Filter	Cool 4 deg C	PSEG01	O32	VNJ-240	10/20/2020	9095B
10/20/2020	Solid	L4467-05 <i>G</i>	Paint Filter	Cool 4 deg C	PSEG01	O32	357	10/20/2020	9095B
10/20/2020	Solid	L4468-01 <i>E</i>	Paint Filter	Cool 4 deg C	PSEG01	D12	72-11977	10/20/2020	9095B

Date/Time 10/21/20 12:00
 Received by: KS (Welcher)
 Relinquished by: KS (Welcher)

Date/Time 10/21/20 13:00
 Received by: KS (Welcher)
 Relinquished by: KS (Welcher)