



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB111667

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L4225-10	SU-02-102120	1	100.03	0.00	10/23/2020	10:15
2	L4225-10DUP	SU-02-102120DUP	1	100.05	0.00	10/23/2020	10:25
3	L4480-02	IS-SOIL-PILE	1	100.07	0.00	10/23/2020	10:35
4	L4484-01	72-11998	1	100.04	0.00	10/23/2020	10:42
5	L4486-02	MS-SOIL	1	100.02	0.00	10/23/2020	10:50
6	L4488-05	202	1	100.03	0.00	10/23/2020	10:58
7	L4496-01	SA-01-102220	1	100.01	0.00	10/23/2020	11:10

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf102220 WorkList ID : 143556 Department : Wet-Chemistry Date : 10-22-2020 08:54:34

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/21/2020	Solid	L4225-10	Paint Filter	Cool 4 deg C	PSEG05		SU-02-102120	10/21/2020	9095B
10/21/2020	Solid	L4480-02	Paint Filter	Cool 4 deg C	PSEG01	D21	IS-SOIL-PILE	10/21/2020	9095B
10/21/2020	Solid	L4484-01	Paint Filter	Cool 4 deg C	PSEG01	D22	72-11998	10/21/2020	9095B
10/22/2020	Solid	L4486-02	Paint Filter	Cool 4 deg C	PSEG01	D22	MS-SOIL	10/22/2020	9095B
10/22/2020	Solid	L4488-05	Paint Filter	Cool 4 deg C	PSEG01	D31	202	10/22/2020	9095B
10/22/2020	Solid	L4496-01	Paint Filter	Cool 4 deg C	PSEG05	D22	SA-01-102220	10/22/2020	9095B

Date/Time 10/23/20 10:05
 Received by: KS (Welcher)
 Relinquished by: KS (Welcher)

Date/Time 10/23/20 11:15
 Received by: KS (Welcher)
 Relinquished by: KS (Welcher)