



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB111702

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L4219-17	CL-01-102320	1	100.03	0.00	10/27/2020	10:15
2	L4219-17DUP	CL-01-102320DUP	1	100.02	0.00	10/27/2020	10:25
3	L4500-02	11935	1	100.05	0.00	10/27/2020	10:32

WORKLIST(Hardcopy Internal Chain)

LB 111702

WorkList Name : pf102720 WorkList ID : 143663 Department : Wet-Chemistry Date : 10-27-2020 09:51:18

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/23/2020	Solid	L4219-17	Paint Filter	Cool 4 deg C	PSEG05		CL-01-102320	10/23/2020	9095B
10/23/2020	Solid	L4500-02	Paint Filter	Cool 4 deg C	PSEG01	D31	11935	10/23/2020	9095B

Date/Time 10/27/20 09:55
 Received by: KS (Wetchem)
 Relinquished by: KS (Wetchem)

Date/Time 10/27/20 10:40
 Received by: KS (Wetchem)
 Relinquished by: KS (Wetchem)