



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB111873

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L4590-01	NB-08-110320	1	100.05	0.00	11/06/2020	09:45
2	L4590-01DUP	NB-08-110320DUP	1	100.07	0.00	11/06/2020	10:05
3	L4625-01	CONTAINER-001-A-B-CO	1	100.09	0.00	11/06/2020	10:15
4	L4625-12	CONTAINER-002-A-B-CO	1	100.04	0.00	11/06/2020	10:25
5	L4635-01	356	1	100.06	0.00	11/06/2020	10:40
6	L4653-01	TP-7-COMP	1	100.03	0.00	11/06/2020	10:48

WORKLIST(Hardcopy Internal Chain)

LB111873

WorkList Name : pf11620 WorkList ID : 143962 Department : Wet-Chemistry Date : 11-06-2020 09:09:49

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
11/03/2020	Solid	L4590-01	Paint Filter	Cool 4 deg C	PSEG05	E31	NB-08-110320	11/03/2020	9095B
11/04/2020	Solid	L4625-01	Paint Filter	Cool 4 deg C	RAIL01	E41	CONTAINER-001-A-B-COMP	11/04/2020	9095B
11/04/2020	Solid	L4625-12	Paint Filter	Cool 4 deg C	RAIL01	E41	CONTAINER-002-A-B-COMP	11/04/2020	9095B
11/05/2020	Solid	L4635-01	Paint Filter	Cool 4 deg C	PSEG03	E41	356	11/05/2020	9095B
11/05/2020	Solid	L4653-01	Paint Filter	Cool 4 deg C	PSEG03	E31	TP-7-COMP	11/05/2020	9095B

Date/Time 11/06/2020 09:30
 Received by: KS (Weber)
 Relinquished by: KS (Weber)

Date/Time 11/06/2020 10:50
 Received by: KS (Weber)
 Relinquished by: KS (Weber)