



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB111882

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L4589-01	CL-02-110620	1	100.05	0.00	11/09/2020	09:15
2	L4589-01DUP	CL-02-110620DUP	1	100.04	0.00	11/09/2020	09:25
3	L4658-02	361-OS	1	100.03	0.00	11/09/2020	09:32
4	L4658-04	361-CL	1	100.07	0.00	11/09/2020	09:40
5	L4658-06	1998-OS	1	100.06	0.00	11/09/2020	09:48
6	L4658-08	1998-CL	1	100.03	0.00	11/09/2020	09:55
7	L4665-01	TP-8-COMP	1	100.08	0.00	11/09/2020	10:05
8	L4669-01	TR-04-110620	1	100.09	0.00	11/09/2020	10:15

WORKLIST(Hardcopy Internal Chain)

LB111882

WorkList Name : pf11920 WorkList ID : 143999 Department : Wet-Chemistry Date : 11-09-2020 08:54:38

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
11/06/2020	Solid	L4589-01	Paint Filter	Cool 4 deg C	PSEG05	F11	CL-02-110620	11/06/2020	9095B
11/06/2020	Solid	L4658-02	Paint Filter	Cool 4 deg C	PSEG03	E61	361-OS	11/06/2020	9095B
11/06/2020	Solid	L4658-04	Paint Filter	Cool 4 deg C	PSEG03	E61	361-CL	11/06/2020	9095B
11/06/2020	Solid	L4658-06	Paint Filter	Cool 4 deg C	PSEG03	E61	1998-OS	11/06/2020	9095B
11/06/2020	Solid	L4658-08	Paint Filter	Cool 4 deg C	PSEG03	E61	1998-CL	11/06/2020	9095B
11/06/2020	Solid	L4665-01	Paint Filter	Cool 4 deg C	PSEG03	F11	TP-8-COMP	11/06/2020	9095B
11/06/2020	Solid	L4669-01	Paint Filter	Cool 4 deg C	PSEG05	F11	TR-04-110620	11/06/2020	9095B

Date/Time 11/09/2020 09:00
 Received by: KS (Weber)
 Relinquished by: KS (Weber)

Date/Time 11/09/2020 10:25
 Received by: KS (Weber)
 Relinquished by: KS (Weber)