



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB111909

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L4594-01	OR-03-110920	1	100.03	0.00	11/10/2020	12:02
2	L4594-01DUP	OR-03-110920DUP	1	100.07	0.00	11/10/2020	12:10
3	L4681-03	TP-1-S	1	100.05	0.00	11/10/2020	12:20
4	L4681-07	TP-1-D	1	100.07	0.00	11/10/2020	12:32

WORKLIST(Hardcopy Internal Chain)

LB 111 909

WorkList Name : pf111020 WorkList ID : 144038 Department : Wet-Chemistry Date : 11-10-2020 10:34:44

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
11/09/2020	Solid	L4594-01	Paint Filter	Cool 4 deg C	PSEG05	F12	OR-03-110920	11/09/2020	9095B
11/09/2020	Solid	L4681-03	Paint Filter	Cool 4 deg C	PSEG03	F12	TP-1-S	11/09/2020	9095B
11/09/2020	Solid	L4681-07	Paint Filter	Cool 4 deg C	PSEG03	F12	TP-1-D	11/09/2020	9095B

Date/Time 11/10/2020 11:50
 Received by: KS (Wetchem)
 Relinquished by: KS (Wetchem)

Date/Time 11/10/2020 12:40
 Received by: KS (Wetchem)
 Relinquished by: KS (Wetchem)