



PERCENT SOLID

Supervisor: ketankumar
Analyst: jignesh
Date: 11/16/2020

OVENTEMP IN Celsius(°C): 107
Time IN: 16:30
In Date: 11/13/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 11/14/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB111963

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
L4617-07	BG-1- (0.5-1)	1	1.14	9.6	8.45	86.4	
L4617-08	BG-2- (0.5-1)	2	1.16	9.77	8.7	87.6	
L4617-09	BG-3- (0.5-1)	3	1.19	9.91	9.16	91.4	
L4687-02	SS-1	4	1.11	9.84	8.21	81.3	
L4687-03	SS-2	5	1.13	9.58	7.54	75.9	
L4687-04	SS-3	6	1.14	9.55	7.53	76.0	
L4687-05	SS-4	7	1.18	9.88	7.99	78.3	
L4687-06	SS-5	8	1.15	9.95	8.51	83.6	
L4687-07	SS-6	9	1.16	9.97	8.73	85.9	
L4687-08	SS-7	10	1.18	9.55	7.48	75.3	
L4687-09	SS-8	11	1.19	9.98	8.46	82.7	
L4734-01	BARNUM-STREET-TEST-PIT-1	23	1.18	9.85	6.76	64.4	
L4734-02	BARNUM-STREET-TEST-PIT-2	24	1.16	9.51	4.67	42.0	
L4741-01	11-13-A	25	1.00	2.00	2.00	100.0	PLASTIC
L4741-02	11-13-B	26	1.00	2.00	2.00	100.0	PLASTIC
L4741-03	11-13-C	27	1.00	2.00	2.00	100.0	PLASTIC
L4742-01	BC-216357-LOZ-END-1-(1-1)	32	1.00	2.00	2.00	100.0	CABLE SAMPLE
L4742-02	BC-216357-LOZ-END-2-(1-2)	33	1.00	2.00	2.00	100.0	CABLE SAMPLE
L4742-03	BC-216357-LOZ-END-1-(2-1)	34	1.00	2.00	2.00	100.0	CABLE SAMPLE
L4742-04	BC-216357-LOZ-END-2-(2-2)	35	1.00	2.00	2.00	100.0	CABLE SAMPLE
L4743-01	HEF119K-END-1	36	1.00	2.00	2.00	100.0	CABLE SAMPLE
L4743-02	HEF119K-END-2	37	1.00	2.00	2.00	100.0	CABLE SAMPLE
L4743-03	GHH052Y-END-1	38	1.00	2.00	2.00	100.0	CABLE SAMPLE
L4743-04	GHH052Y-END-2	39	1.00	2.00	2.00	100.0	CABLE SAMPLE
L4743-05	HIA775H-END-1	40	1.00	2.00	2.00	100.0	CABLE SAMPLE



PERCENT SOLID

Supervisor: ketankumar
Analyst: jignesh
Date: 11/16/2020

OVENTEMP IN Celsius(°C): 107
Time IN: 16:30
In Date: 11/13/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 11/14/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB111963

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
L4743-06	HIA775H-END-2	41	1.00	2.00	2.00	100.0	CABLE SAMPLE
L4744-01	JEC4860-END-1	42	1.00	2.00	2.00	100.0	CABLE SAMPLE
L4744-02	JEC4860-END-2	43	1.00	2.00	2.00	100.0	CABLE SAMPLE
L4745-01	CV-OS	28	1.00	2.00	2.00	100.0	STONE SAMPLE,100% SOLIDS
L4745-02	CV-OS-EPH-2	29	1.18	9.79	8.82	88.7	
L4746-01	OK-02-111320	30	1.19	9.98	9.36	92.9	
L4746-02	OK-02-111320-EPH-2	31	1.19	9.88	9.36	94.0	
L4747-08	BP-VPB178-GW-618-620	12	1.00	2.00	2.00	100.0	
L4748-05	SVOC-GPC-BLANK	13	1.00	2.00	2.00	100.0	
L4748-06	PEST-GPC-BLANK	14	1.00	2.00	2.00	100.0	
L4748-07	PEST-GPC-BLANK-SPIKE	15	1.00	2.00	2.00	100.0	
L4748-08	PCB-GPC-BLANK	16	1.00	2.00	2.00	100.0	
L4748-09	PCB-GPC-BLANK-SPIKE	17	1.00	2.00	2.00	100.0	
L4748-10	SVOC-GCP2-BLANK	18	1.00	2.00	2.00	100.0	
L4748-11	PEST-GCP2-BLANK	19	1.00	2.00	2.00	100.0	
L4748-12	PEST-GCP2-BLANK-SPIKE	20	1.00	2.00	2.00	100.0	
L4748-13	PCB-GCP2-BLANK	21	1.00	2.00	2.00	100.0	
L4748-14	PCB-GCP2-BLANK-SPIKE	22	1.00	2.00	2.00	100.0	
L4757-01	S6-(4-4.5)	44	1.13	9.71	9.24	94.5	
L4758-01	WASTE	45	1.15	9.98	9.00	88.9	
L4758-02	VOC	46	1.15	9.93	9.06	90.1	
L4758-03	1	47	1.14	9.94	8.97	89.0	
L4758-04	2	48	1.16	9.91	8.65	85.6	
L4758-05	3	49	1.16	9.97	8.57	84.1	
L4758-06	4	50	1.14	9.97	8.58	84.3	
L4758-07	5	51	1.14	9.97	8.68	85.4	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

WORKLIST(Hardcopy Internal Chain)

111963

WorkList Name : %1-111320

WorkList ID : 144124

Department : Wet-Chemistry

Date : 11-13-2020 08:04:09

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
11/06/2020	Solid	L4617-07	Percent Solids	Cool 4 deg C	DEWB01	E31	BG-1-(0.5-1)	11/02/2020	Chemtech -SO
11/06/2020	Solid	L4617-08	Percent Solids	Cool 4 deg C	DEWB01	E31	BG-2-(0.5-1)	11/02/2020	Chemtech -SO
11/06/2020	Solid	L4617-09	Percent Solids	Cool 4 deg C	DEWB01	E31	BG-3-(0.5-1)	11/02/2020	Chemtech -SO
11/21/2020	Solid	L4687-02	Percent Solids	Cool 4 deg C	TSLA01	F51	SS-1	11/11/2020	Chemtech -SO
11/21/2020	Solid	L4687-03	Percent Solids	Cool 4 deg C	TSLA01	F51	SS-2	11/11/2020	Chemtech -SO
11/21/2020	Solid	L4687-04	Percent Solids	Cool 4 deg C	TSLA01	F51	SS-3	11/11/2020	Chemtech -SO
11/21/2020	Solid	L4687-05	Percent Solids	Cool 4 deg C	TSLA01	F51	SS-4	11/11/2020	Chemtech -SO
11/21/2020	Solid	L4687-06	Percent Solids	Cool 4 deg C	TSLA01	F51	SS-5	11/11/2020	Chemtech -SO
11/21/2020	Solid	L4687-07	Percent Solids	Cool 4 deg C	TSLA01	F51	SS-6	11/11/2020	Chemtech -SO
11/21/2020	Solid	L4687-08	Percent Solids	Cool 4 deg C	TSLA01	F51	SS-7	11/11/2020	Chemtech -SO
11/21/2020	Solid	L4687-09	Percent Solids	Cool 4 deg C	TSLA01	F51	SS-8	11/11/2020	Chemtech -SO
11/20/2020	Solid	L4734-01	Percent Solids	Cool 4 deg C	TULL02	F52	BARNUM-STREET-TEST-PIT	11/12/2020	Chemtech -SO
11/20/2020	Solid	L4734-02	Percent Solids	Cool 4 deg C	TULL02	F52	BARNUM-STREET-TEST-PIT	11/12/2020	Chemtech -SO
11/19/2020	Solid	L4741-01	Percent Solids	Cool 4 deg C	PSEG03	F61	11-13-A	11/13/2020	Chemtech -SO
11/19/2020	Solid	L4741-02	Percent Solids	Cool 4 deg C	PSEG03	F61	11-13-B	11/13/2020	Chemtech -SO
11/19/2020	Solid	L4741-03	Percent Solids	Cool 4 deg C	PSEG03	F61	11-13-C	11/13/2020	Chemtech -SO
11/20/2020	Solid	L4742-01	Percent Solids	Cool 4 deg C	PSEG03	F41	BC-216357-LOZ-END-1-(1-1)	11/13/2020	Chemtech -SO
11/20/2020	Solid	L4742-02	Percent Solids	Cool 4 deg C	PSEG03	F41	BC-216357-LOZ-END-2-(1-2)	11/13/2020	Chemtech -SO
11/20/2020	Solid	L4742-03	Percent Solids	Cool 4 deg C	PSEG03	F41	BC-216357-LOZ-END-1-(2-1)	11/13/2020	Chemtech -SO
11/20/2020	Solid	L4742-04	Percent Solids	Cool 4 deg C	PSEG03	F41	BC-216357-LOZ-END-2-(2-2)	11/13/2020	Chemtech -SO
11/20/2020	Solid	L4743-01	Percent Solids	Cool 4 deg C	PSEG03	F61	HEF119K-END-1	11/13/2020	Chemtech -SO
11/20/2020	Solid	L4743-02	Percent Solids	Cool 4 deg C	PSEG03	F61	HEF119K-END-2	11/13/2020	Chemtech -SO

Date/Time 11-13-2020 15:40

Date/Time 11-13-2020 17:00

Received by: [Signature]

Received by: [Signature]

Relinquished by: [Signature]

Relinquished by: [Signature]

WORKLIST(Hardcopy Internal Chain)

WorkList Name: %1-111320

WorkList ID: 144124

Department: Wet-Chemistry

Date: 11-13-2020 08:04:09

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
11/20/2020	Solid	L4743-03	Percent Solids	Cool 4 deg C	PSEG03	F61	GH052Y-END-1	11/13/2020	Chemtech -SO
11/20/2020	Solid	L4743-04	Percent Solids	Cool 4 deg C	PSEG03	F61	GH052Y-END-2	11/13/2020	Chemtech -SO
11/20/2020	Solid	L4743-05	Percent Solids	Cool 4 deg C	PSEG03	F61	HIA775H-END-1	11/13/2020	Chemtech -SO
11/20/2020	Solid	L4743-06	Percent Solids	Cool 4 deg C	PSEG03	F61	HIA775H-END-2	11/13/2020	Chemtech -SO
11/20/2020	Solid	L4744-01	Percent Solids	Cool 4 deg C	PSEG03	F61	JEC4860-END-1	11/13/2020	Chemtech -SO
11/20/2020	Solid	L4744-02	Percent Solids	Cool 4 deg C	PSEG03	F61	JEC4860-END-2	11/13/2020	Chemtech -SO
11/20/2020	Solid	L4745-01	Percent Solids	Cool 4 deg C	PSEG03	F51	CV-OS	11/13/2020	Chemtech -SO
11/20/2020	Solid	L4745-02	Percent Solids	Cool 4 deg C	PSEG03	F51	CV-OS-EPH-2	11/13/2020	Chemtech -SO
11/18/2020	Solid	L4746-01	Percent Solids	Cool 4 deg C	PSEG05	F51	OK-02-111320	11/13/2020	Chemtech -SO
11/18/2020	Solid	L4746-02	Percent Solids	Cool 4 deg C	PSEG05	F51	OK-02-111320-EPH-2	11/13/2020	Chemtech -SO
11/22/2020	Solid	L4747-08	Percent Solids	Cool 4 deg C	TETR06	F51	BP-VPB178-GW-618-620	11/12/2020	Chemtech -SO
11/16/2020	Solid	L4748-05	Percent Solids	Cool 4 deg C	CHEM02	F51	SVOC-GPC-BLANK	11/06/2020	Chemtech -SO
11/16/2020	Solid	L4748-06	Percent Solids	Cool 4 deg C	CHEM02	F51	PEST-GPC-BLANK	11/06/2020	Chemtech -SO
11/16/2020	Solid	L4748-07	Percent Solids	Cool 4 deg C	CHEM02	F51	PEST-GPC-BLANK-SPIKE	11/06/2020	Chemtech -SO
11/16/2020	Solid	L4748-08	Percent Solids	Cool 4 deg C	CHEM02	F51	PCB-GPC-BLANK	11/06/2020	Chemtech -SO
11/16/2020	Solid	L4748-09	Percent Solids	Cool 4 deg C	CHEM02	F51	PCB-GPC-BLANK-SPIKE	11/06/2020	Chemtech -SO
11/16/2020	Solid	L4748-10	Percent Solids	Cool 4 deg C	CHEM02	F51	SVOC-GCP2-BLANK	11/06/2020	Chemtech -SO
11/16/2020	Solid	L4748-11	Percent Solids	Cool 4 deg C	CHEM02	F51	PEST-GCP2-BLANK	11/06/2020	Chemtech -SO
11/16/2020	Solid	L4748-12	Percent Solids	Cool 4 deg C	CHEM02	F51	PEST-GCP2-BLANK-SPIKE	11/06/2020	Chemtech -SO
11/16/2020	Solid	L4748-13	Percent Solids	Cool 4 deg C	CHEM02	F51	PCB-GCP2-BLANK	11/06/2020	Chemtech -SO
11/16/2020	Solid	L4748-14	Percent Solids	Cool 4 deg C	CHEM02	F51	PCB-GCP2-BLANK-SPIKE	11/06/2020	Chemtech -SO
11/18/2020	Solid	L4757-01	Percent Solids	Cool 4 deg C	DEWB01	F61	S6-(4-4.5)	11/13/2020	Chemtech -SO

Date/Time

11/13/2020 15:40

Received by:

[Signature]

Relinquished by:

[Signature]

Date/Time

11/13/2020 17:10

Received by:

[Signature]

Relinquished by:

[Signature]

WORKLIST(Hardcopy Internal Chain)

111963

WorkList Name : %1-111320

WorkList ID : 144124

Department : Wet-Chemistry

Date : 11-13-2020 08:04:09

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
11/23/2020	Solid	L4758-01	Percent Solids	Cool 4 deg C	SCIA01	F52	WASTE	11/13/2020	Chemtech -SO
11/23/2020	Solid	L4758-02	Percent Solids	Cool 4 deg C	SCIA01	F52	VOC	11/13/2020	Chemtech -SO
11/23/2020	Solid	L4758-03	Percent Solids	Cool 4 deg C	SCIA01	F52	1	11/13/2020	Chemtech -SO
11/23/2020	Solid	L4758-04	Percent Solids	Cool 4 deg C	SCIA01	F52	2	11/13/2020	Chemtech -SO
11/23/2020	Solid	L4758-05	Percent Solids	Cool 4 deg C	SCIA01	F52	3	11/13/2020	Chemtech -SO
11/23/2020	Solid	L4758-06	Percent Solids	Cool 4 deg C	SCIA01	F52	4	11/13/2020	Chemtech -SO
11/23/2020	Solid	L4758-07	Percent Solids	Cool 4 deg C	SCIA01	F52	5	11/13/2020	Chemtech -SO

Date/Time

11/13/2020 15:40

Received by:

JP

Relinquished by:

JP

Date/Time

11/13/2020 17:00

Received by:

JP

Relinquished by:

JP