



PERCENT SOLID

Supervisor: ketankumar

Analyst: jignesh

Date: 11/16/2020

OVENTEMP IN Celsius(°C): 107

Time IN: 15:30

In Date: 11/13/2020

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:00

Out Date: 11/14/2020

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB111970

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
L4738-01	GB0X0	1	1.18	9.72	7.97	79.5	
L4738-02	GB0X0MS	2	1.18	9.72	7.97	79.5	
L4738-03	GB0X0MSD	3	1.18	9.72	7.97	79.5	
L4738-04	GB0X1	4	1.13	9.94	7.58	73.2	
L4738-05	GB0X2	5	1.18	9.96	7.95	77.1	
L4738-06	GB0X3	6	1.13	9.81	8.00	79.1	
L4738-07	GB0X4	7	1.17	9.9	8.43	83.2	
L4738-08	GB0X5	8	1.13	9.97	8.48	83.1	
L4738-09	GB0X6	9	1.15	9.94	7.98	77.7	
L4738-10	GB0X7	10	1.16	9.64	7.96	80.2	
L4738-11	GB0X8	11	1.13	9.68	7.66	76.4	
L4738-12	GB0X9	12	1.15	9.93	8.21	80.4	
L4738-13	GB0Y0	13	1.18	9.98	8.29	80.8	
L4738-14	GB0Y1	14	1.13	9.74	8.13	81.3	
L4738-15	GB0Y2	15	1.19	9.81	8.37	83.3	
L4738-16	GB0Y3	16	1.13	9.69	7.81	78.0	
L4738-17	GB0Y4	17	1.1	9.51	7.88	80.6	
L4738-18	GB0Y5	18	1.18	9.54	7.67	77.6	
L4738-19	GB0Y6	19	1.15	9.96	8.23	80.4	
L4738-20	GB0Y7	20	1.19	9.71	7.24	71.0	
L4738-21	GB0Y8	21	1.14	9.63	6.99	68.9	
L4738-22	GB0Y9	22	1.16	9.81	8.53	85.2	
L4738-23	VHBLK01	23	1.00	2.00	2.00	100.0	VHBLK

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$