



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB112031

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L4780-01	CL-01-111720	1	100.03	0.00	11/18/2020	09:32
2	L4780-01DUP	CL-01-111720DUP	1	100.01	0.00	11/18/2020	09:45

WORKLIST(Hardcopy Internal Chain)

LB 112031

WorkList Name : pf111820 WorkList ID : 144263 Department : Wet-Chemistry Date : 11-18-2020 09:18:08

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
11/17/2020	Solid	L4780-01	Paint Filter	Cool 4 deg C	PSEG05	H12	CL-01-111720	11/17/2020	9095B

Date/Time 11/18/20 09:20
 Received by: KS (Wetchem)
 Relinquished by: 70 (G. St. Chem)

Date/Time 11/18/20 09:50
 Received by: 70 (G. St. Chem)
 Relinquished by: KS (Wetchem)