



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB112108

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L4592-01	EO-01-112020	1	100.07	0.00	11/23/2020	10:28
2	L4592-01DUP	EO-01-112020DUP	1	100.06	0.00	11/23/2020	10:35
3	L4842-01	11620	1	100.04	0.00	11/23/2020	10:42
4	L4844-01	OR-02-112020	1	100.02	0.00	11/23/2020	10:50
5	L4848-01	TR5-(1-4)-COMP	1	100.05	0.00	11/23/2020	10:58

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf112320 WorkList ID : 144408 Department : Wet-Chemistry Date : 11-23-2020 09:01:58

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
11/20/2020	Solid	L4592-01	Paint Filter	Cool 4 deg C	PSEG05	H31	EO-01-112020	11/20/2020	9095B
11/20/2020	Solid	L4842-01	Paint Filter	Cool 4 deg C	PSEG03	H41	11620	11/20/2020	9095B
11/20/2020	Solid	L4844-01	Paint Filter	Cool 4 deg C	PSEG05	H41	OR-02-112020	11/20/2020	9095B
11/20/2020	Solid	L4848-01	Paint Filter	Cool 4 deg C	RAIL01	H51	TR5-(1-4)-COMP	11/20/2020	9095B

Date/Time 11/23/2020 10:15
 Received by: KS (Welcher)
 Relinquished by: KS (Welcher)

Date/Time 11/23/2020 11:05
 Received by: KS (Welcher)
 Relinquished by: KS (Welcher)