



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB112168

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L4899-03	TP-1-2	1	100.05	0.00	11/30/2020	10:22
2	L4899-03DUP	TP-1-2DUP	1	100.04	0.00	11/30/2020	10:32
3	L4903-03	TP-1-2-COMP	1	100.07	0.00	11/30/2020	10:40
4	L4903-07	TP-3-4-COMP	1	100.03	0.00	11/30/2020	10:48

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf113020 WorkList ID : 144544 Department : Wet-Chemistry Date : 11-30-2020 09:06:53

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
11/25/2020	Solid	L4899-03	Paint Filter	Cool 4 deg C	PSEG03	J12	TP-1-2	11/25/2020	9095B
11/25/2020	Solid	L4903-03	Paint Filter	Cool 4 deg C	PSEG03	J12	TP-1-2-COMP	11/25/2020	9095B
11/25/2020	Solid	L4903-07	Paint Filter	Cool 4 deg C	PSEG03	J12	TP-3-4-COMP	11/25/2020	9095B

Date/Time 11/30/20 10:15
 Received by: KS (Wetchem)
 Relinquished by: AP (Wetchem)

Date/Time 11/30/20 10:55
 Received by: AP (Wetchem)
 Relinquished by: KS (Wetchem)