



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB112200

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L4906-01	4-DRUM	1	100.05	0.00	12/03/2020	10:15
2	L4906-01DUP	4-DRUMDUP	1	100.07	0.00	12/03/2020	10:22
3	L4915-01	OR-03-12220	1	100.09	0.00	12/03/2020	10:30
4	L4917-01	CL-02-12220	1	100.04	0.00	12/03/2020	10:40
5	L4931-01	R-LA-33-1-WC	1	100.08	0.00	12/03/2020	10:48
6	L4932-01	R-LA-35-1-WC	1	100.02	0.00	12/03/2020	10:55

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf12320 WorkList ID : 144624 Department : Wet-Chemistry Date : 12-03-2020 09:01:58

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
11/30/2020	Solid	L4906-01	Paint Filter	Cool 4 deg C	PSEG03	J21	4-DRUM	11/30/2020	9095B
12/02/2020	Solid	L4915-01	Paint Filter	Cool 4 deg C	PSEG05	J23	OR-03-12220	12/02/2020	9095B
12/02/2020	Solid	L4917-01	Paint Filter	Cool 4 deg C	PSEG05	J23	CL-02-12220	12/02/2020	9095B
12/02/2020	Solid	L4931-01	Paint Filter	Cool 4 deg C	PSEG03	J51	R-LA-33-1-WC	12/02/2020	9095B
12/02/2020	Solid	L4932-01	Paint Filter	Cool 4 deg C	PSEG03	J51	R-LA-35-1-WC	12/02/2020	9095B

Date/Time 12/03/2020 10:00
 Received by: KS (Wehner)
 Relinquished by: KS (Wehner)

Date/Time 12/03/2020 11:00
 Received by: KS (Wehner)
 Relinquished by: KS (Wehner)