



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB112218

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L4916-01	OK-01-12220	1	100.06	0.00	12/04/2020	09:52
2	L4916-01DUP	OK-01-12220DUP	1	100.04	0.00	12/04/2020	10:02
3	L4935-01	OK-02-12220	1	100.03	0.00	12/04/2020	10:10
4	L4939-01	EO-02-12320	1	100.02	0.00	12/04/2020	10:25

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf12420 WorkList ID : 144682 Department : Wet-Chemistry Date : 12-04-2020 09:12:51

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
12/02/2020	Solid	L4916-01	Paint Filter	Cool 4 deg C	PSEG05	J23	OK-01-12220	12/02/2020	9095B
12/02/2020	Solid	L4935-01	Paint Filter	Cool 4 deg C	PSEG05	J23	OK-02-12220	12/02/2020	9095B
12/03/2020	Solid	L4939-01	Paint Filter	Cool 4 deg C	PSEG05	J23	EO-02-12320	12/03/2020	9095B

Date/Time 12/04/2020 09:45
 Received by: KS (Wetchem)
 Relinquished by: RJ (EXT-19b)

Date/Time 12/4/2020 10:30
 Received by: RJ (EXT-19b)
 Relinquished by: KS (Wetchem)