



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB112339

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L5014-01	351	1	100.07	0.00	12/11/2020	15:52
2	L5014-01DUP	351DUP	1	100.03	0.00	12/11/2020	16:00
3	L5015-02	TR-05-121020	1	100.04	0.00	12/11/2020	16:10
4	L5016-01	AU-06-121020	1	100.07	0.00	12/11/2020	16:18
5	L5045-02	RBR-10	1	100.02	0.00	12/11/2020	16:25
6	L5045-04	RBR-78	1	100.02	0.00	12/11/2020	16:32
7	L5045-06	RBR-24	1	100.04	0.00	12/11/2020	16:40
8	L5047-01	OK-03-121120	1	100.03	0.00	12/11/2020	16:48
9	L5048-01	OR-02-121120	1	100.01	0.00	12/11/2020	16:55

WORKLIST(Hardcopy Internal Chain)

LB 112339

WorkList Name : pf121120 WorkList ID : 144877 Department : Wet-Chemistry Date : 12-11-2020 15:41:55

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
12/10/2020	Solid	L5014-01	Paint Filter	Cool 4 deg C	PSEG03	L22	351	12/10/2020	9095B
12/10/2020	Solid	L5015-02	Paint Filter	Cool 4 deg C	PSEG05	L22	TR-05-121020	12/10/2020	9095B
12/10/2020	Solid	L5016-01	Paint Filter	Cool 4 deg C	PSEG05	L22	AU-06-121020	12/10/2020	9095B
12/11/2020	Solid	L5045-02	Paint Filter	Cool 4 deg C	PSEG03	L23	RBR-10	12/11/2020	9095B
12/11/2020	Solid	L5045-04	Paint Filter	Cool 4 deg C	PSEG03	L23	RBR-78	12/11/2020	9095B
12/11/2020	Solid	L5045-06	Paint Filter	Cool 4 deg C	PSEG03	L23	RBR-24	12/11/2020	9095B
12/11/2020	Solid	L5047-01	Paint Filter	Cool 4 deg C	PSEG05	L33	OK-03-121120	12/11/2020	9095B
12/11/2020	Solid	L5048-01	Paint Filter	Cool 4 deg C	PSEG05	L31	OR-02-121120	12/11/2020	9095B

Date/Time 12/11/20 15:45
 Received by: KS (wetchem)
 Relinquished by: JQ (wetchem)

Date/Time 12/11/20 17:20
 Received by: JQ (wetchem)
 Relinquished by: KS (wetchem)