



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB112380

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L5088-01	TR1-A-D-COMP	1	100.03	0.00	12/14/2020	15:52
2	L5088-01DUP	TR1-A-D-COMPDUP	1	100.02	0.00	12/14/2020	16:02
3	L5088-12	TR3-A-D-COMP	1	100.04	0.00	12/14/2020	16:10

WORKLIST(Hardcopy Internal Chain)

LB 112380

WorkList Name : pf121320

WorkList ID : 144923

Department : Wet-Chemistry

Date : 12-13-2020 13:14:15

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
12/14/2020	Solid	L5088-01	B Paint Filter	Cool 4 deg C	RAIL01	L61	TR1-A-D-COMP	12/14/2020	9095B
12/14/2020	Solid	L5088-12	B Paint Filter	Cool 4 deg C	RAIL01	L61	TR3-A-D-COMP	12/14/2020	9095B

Date/Time

12/14/20 15:40

Received by:

KS (watcher)

Relinquished by:

JO (watcher)

Date/Time

12/14/20 16:15

Received by:

JO (watcher)

Relinquished by:

KS (watcher)