



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB112398

Reviewed By: ketankumar
Supervisor Review By: apatel
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L5091-01	CHRT-20057	1	100.03	0.00	12/16/2020	09:45
2	L5091-01DUP	CHRT-20057DUP	1	100.05	0.00	12/16/2020	09:52
3	L5091-03	CHRT-20426	1	100.06	0.00	12/16/2020	10:00
4	L5092-01	HR-02-12142020	1	100.03	0.00	12/16/2020	10:10
5	L5093-01	CL-01-12142020	1	100.01	0.00	12/16/2020	10:18
6	L5113-02	SS1	1	100.02	0.00	12/16/2020	10:25
7	L5118-01	R-LA-37-2-WC	1	100.03	0.00	12/16/2020	10:32

WORKLIST(Hardcopy Internal Chain)

LB112398

WorkList Name : pf121620 WorkList ID : 145001 Department : Wet-Chemistry Date : 12-16-2020 08:54:04

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
12/14/2020	Solid	L5091-01	Paint Filter	Cool 4 deg C	PSEG03	L52	CHRT-20057	12/14/2020	9095B
12/14/2020	Solid	L5091-03	Paint Filter	Cool 4 deg C	PSEG03	L52	CHRT-20426	12/14/2020	9095B
12/14/2020	Solid	L5092-01	Paint Filter	Cool 4 deg C	PSEG05	L53	HR-02-12142020	12/14/2020	9095B
12/14/2020	Solid	L5093-01	Paint Filter	Cool 4 deg C	PSEG05	L53	CL-01-12142020	12/14/2020	9095B
12/15/2020	Solid	L5113-02	Paint Filter	Cool 4 deg C	PSEG03	L53	SS1	12/15/2020	9095B
12/15/2020	Solid	L5118-01	Paint Filter	Cool 4 deg C	PSEG03	L63	R-LA-37-2-WC	12/15/2020	9095B

Date/Time 12/16/20 09:30
 Received by: KS (wetchem)
 Relinquished by: JQ (wetchem)

Date/Time 12/16/20 10:35
 Received by: JQ (wetchem)
 Relinquished by: KS (wetchem)