



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB112503

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L5176-01	CHRT-26878	1	100.06	0.00	12/22/2020	09:15
2	L5176-01DUP	CHRT-26878DUP	1	100.04	0.00	12/22/2020	09:25
3	L5176-07	CHRT-25299	1	100.05	0.00	12/22/2020	09:32

WORKLIST(Hardcopy Internal Chain)

LB 112503

WorkList Name : pf122220 WorkList ID : 145156 Department : Wet-Chemistry Date : 12-22-2020 09:04:21

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
12/21/2020	Solid	L5176-01	Paint Filter	Cool 4 deg C	PSEG03	M31	CHRT-26878	12/21/2020	9095B
12/21/2020	Solid	L5176-07	Paint Filter	Cool 4 deg C	PSEG03	M31	CHRT-25299	12/21/2020	9095B

Date/Time 12/22/20 09:05
 Received by: KS (Wetchem)
 Relinquished by: AP (Ext. Lab)

Date/Time 12/22/20 09:35
 Received by: AP (Ext. Lab)
 Relinquished by: KS (Wetchem)