



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB112533

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L5197-01	EO-01-122320	1	100.05	0.00	12/24/2020	13:00
2	L5197-01DUP	EO-01-122320DUP	1	100.04	0.00	12/24/2020	13:10
3	L5198-01	EO-03-122320	1	100.02	0.00	12/24/2020	13:18
4	L5199-01	OR-03-122320	1	100.03	0.00	12/24/2020	13:25
5	L5200-01	BIN-4-122320	1	100.07	0.00	12/24/2020	13:32
6	L5201-01	HD-02-122320	1	100.02	0.00	12/24/2020	13:40
7	L5215-01	72-11991	1	100.01	0.00	12/24/2020	13:48

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF122420 WorkList ID : 145241 Department : Wet-Chemistry Date : 12-24-2020 12:15:17

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
12/23/2020	Solid	L5197-01	Paint Filter	Cool 4 deg C	PSEG05	M41	EO-01-122320	12/23/2020	9095B
12/23/2020	Solid	L5198-01	Paint Filter	Cool 4 deg C	PSEG05	M41	EO-03-122320	12/23/2020	9095B
12/23/2020	Solid	L5199-01	Paint Filter	Cool 4 deg C	PSEG05	M42	OR-03-122320	12/23/2020	9095B
12/23/2020	Solid	L5200-01	Paint Filter	Cool 4 deg C	PSEG03	M43	BIN-4-122320	12/23/2020	9095B
12/23/2020	Solid	L5201-01	Paint Filter	Cool 4 deg C	PSEG05	M41	HD-02-122320	12/23/2020	9095B
12/24/2020	Solid	L5215-01	Paint Filter	Cool 4 deg C	PSEG03	M51	72-11991	12/24/2020	9095B

Date/Time 12/24/2020 12:50
 Received by: KS (Wetchem)
 Relinquished by: AP (Ext. Lab)

Date/Time 12/24/2020 13:55
 Received by: AP (Ext. Lab)
 Relinquished by: KS (Wetchem)