



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB112579

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L5235-01	TR-05-122920	1	100.07	0.00	12/30/2020	12:30
2	L5235-01DUP	TR-05-122920DUP	1	100.02	0.00	12/30/2020	12:38
3	L5242-01	SAMPLE-1 (494+26)	1	100.03	0.00	12/30/2020	12:45
4	L5242-03	SAMPLE-2 (484+26)	1	100.03	0.00	12/30/2020	12:52
5	L5242-05	SAMPLE-3 (474+26)	1	100.04	0.00	12/30/2020	13:00
6	L5242-07	SAMPLE-4 (464+26)	1	100.01	0.00	12/30/2020	13:10
7	L5242-09	SAMPLE-5 (454+26)	1	100.02	0.00	12/30/2020	13:18
8	L5242-11	SAMPLE-6 (444+26)	1	100.03	0.00	12/30/2020	13:25
9	L5242-13	SAMPLE-7 (434+26)	1	100.02	0.00	12/30/2020	13:35

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf123020 WorkList ID : 145308 Department : Wet-Chemistry Date : 12-30-2020 09:05:18

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
12/29/2020	Solid	L5235-01 ✓	Paint Filter	Cool 4 deg C	PSEG05	L52	TR-05-122920	12/29/2020	9095B
12/28/2020	Solid	L5242-01 ✓	Paint Filter	Cool 4 deg C	PREF02	M51	SAMPLE-1(494+26)	12/28/2020	9095B
12/28/2020	Solid	L5242-03 ✓	Paint Filter	Cool 4 deg C	PREF02	M51	SAMPLE-2(484+26)	12/28/2020	9095B
12/28/2020	Solid	L5242-05 ✓	Paint Filter	Cool 4 deg C	PREF02	M51	SAMPLE-3(474+26)	12/28/2020	9095B
12/28/2020	Solid	L5242-07 ✓	Paint Filter	Cool 4 deg C	PREF02	M51	SAMPLE-4(464+26)	12/28/2020	9095B
12/28/2020	Solid	L5242-09 ✓	Paint Filter	Cool 4 deg C	PREF02	M51	SAMPLE-5(454+26)	12/28/2020	9095B
12/28/2020	Solid	L5242-11 ✓	Paint Filter	Cool 4 deg C	PREF02	M51	SAMPLE-6(444+26)	12/28/2020	9095B
12/28/2020	Solid	L5242-13 ✓	Paint Filter	Cool 4 deg C	PREF02	M51	SAMPLE-7(434+26)	12/28/2020	9095B

Date/Time 12/30/20 12:15
 Received by: KS (webster)
 Relinquished by: RJ (LFT-06b)

Date/Time 12/30/20 13:40
 Received by: RJ (LFT-06b)
 Relinquished by: KS (webster)