



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB112619

Reviewed By: ketankumar
Supervisor Review By: apatel
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L5244-01	HR-01-123020	1	100.03	0.00	01/05/2021	09:15
2	L5244-01DUP	HR-01-123020DUP	1	100.02	0.00	01/05/2021	09:25
3	L5249-01	BU-03-123120	1	100.03	0.00	01/05/2021	09:32
4	M1000-01	OR-02-010421	1	100.01	0.00	01/05/2021	09:40
5	M1006-01	R-LA-21-5-WC	1	100.02	0.00	01/05/2021	09:48
6	M1007-01	R-LA-22-1-WC	1	100.03	0.00	01/05/2021	09:55

LB112619

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF1521 WorkList ID : 145390 Department : Wet-Chemistry Date : 01-05-2021 08:50:10

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
12/30/2020	Solid	L5244-01	Paint Filter	Cool 4 deg C	PSEG05	L53	HR-01-123020	12/30/2020	9095B
12/31/2020	Solid	L5249-01	Paint Filter	Cool 4 deg C	PSEG05	L61	BU-03-123120	12/31/2020	9095B
01/04/2021	Solid	M1000-01	Paint Filter	Cool 4 deg C	PSEG05	M11	OR-02-010421	01/04/2021	9095B
01/04/2021	Solid	M1006-01	Paint Filter	Cool 4 deg C	PSEG03	M61	R-LA-21-5-WC	01/04/2021	9095B
01/04/2021	Solid	M1007-01	Paint Filter	Cool 4 deg C	PSEG03	M61	R-LA-22-1-WC	01/04/2021	9095B

Date/Time 01/05/2021 08:55
Received by: KS (Wetchem)
Relinquished by: RJ (Ext-196)

Date/Time 01/05/2021 10:00
Received by: RJ (Ext-196)
Relinquished by: KS (Wetchem)