



## Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB112732

BalanceID: WC SC-4

| Seq | LabID       | ClientID        | Dilution | Weight(g) | Inst.Conc<br>(ml/100g) | Anal Date  | Anal Time |
|-----|-------------|-----------------|----------|-----------|------------------------|------------|-----------|
| 1   | M1055-01    | SA-01-010821    | 1        | 100.01    | 0.00                   | 01/12/2021 | 09:10     |
| 2   | M1055-01DUP | SA-01-010821DUP | 1        | 100.03    | 0.00                   | 01/12/2021 | 09:18     |
| 3   | M1056-01    | CL-01-010821    | 1        | 100.02    | 0.00                   | 01/12/2021 | 09:25     |
| 4   | M1059-01    | TR-04-010821    | 1        | 100.04    | 0.00                   | 01/12/2021 | 09:35     |
| 5   | M1073-01    | VNJ-217         | 1        | 100.01    | 0.00                   | 01/12/2021 | 09:42     |
| 6   | M1075-01    | 72-11977        | 1        | 100.02    | 0.00                   | 01/12/2021 | 09:50     |
| 7   | M1075-03    | 7               | 1        | 100.01    | 0.00                   | 01/12/2021 | 09:58     |
| 8   | M1076-01    | OR-03-011121    | 1        | 100.02    | 0.00                   | 01/12/2021 | 10:05     |
| 9   | M1077-01    | JC-03-011121-A  | 1        | 100.03    | 0.00                   | 01/12/2021 | 10:15     |
| 10  | M1077-03    | JC-03-011121-B  | 1        | 100.02    | 0.00                   | 01/12/2021 | 10:22     |
| 11  | M1078-01    | NB-07-011121    | 1        | 100.01    | 0.00                   | 01/12/2021 | 10:30     |

LB 112732

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf111121      WorkList ID : 145559      Department : Wet-Chemistry      Date : 01-11-2021 09:09:57

| Due Date   | Matrix | Sample   | Test         | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method |
|------------|--------|----------|--------------|--------------|----------|------------------|-----------------|--------------|--------|
| 01/08/2021 | Solid  | M1055-01 | Paint Filter | Cool 4 deg C | PSEG05   | M31              | SA-01-010821    | 01/08/2021   | 9095B  |
| 01/08/2021 | Solid  | M1056-01 | Paint Filter | Cool 4 deg C | PSEG05   | M31              | CL-01-010821    | 01/08/2021   | 9095B  |
| 01/08/2021 | Solid  | M1059-01 | Paint Filter | Cool 4 deg C | PSEG05   | M31              | TR-04-010821    | 01/08/2021   | 9095B  |
| 01/11/2021 | Solid  | M1073-01 | Paint Filter | Cool 4 deg C | PSEG03   | N11              | VNJ-217         | 01/11/2021   | 9095B  |
| 01/11/2021 | Solid  | M1075-01 | Paint Filter | Cool 4 deg C | PSEG03   | N11              | 72-11977        | 01/11/2021   | 9095B  |
| 01/11/2021 | Solid  | M1075-03 | Paint Filter | Cool 4 deg C | PSEG03   | N11              | 7               | 01/11/2021   | 9095B  |
| 01/11/2021 | Solid  | M1076-01 | Paint Filter | Cool 4 deg C | PSEG05   | N11              | OR-03-011121    | 01/11/2021   | 9095B  |
| 01/11/2021 | Solid  | M1077-01 | Paint Filter | Cool 4 deg C | PSEG05   | N11              | JC-03-011121-A  | 01/11/2021   | 9095B  |
| 01/11/2021 | Solid  | M1077-03 | Paint Filter | Cool 4 deg C | PSEG05   | N11              | JC-03-011121-B  | 01/11/2021   | 9095B  |
| 01/11/2021 | Solid  | M1078-01 | Paint Filter | Cool 4 deg C | PSEG05   | N11              | NB-07-011121    | 01/11/2021   | 9095B  |

Date/Time 01/12/2021 08:55  
 Received by: RS (Wetchem)  
 Relinquished by: RJ (Ext-196)

Date/Time 01/12/2021 10:35  
 Received by: RJ (Ext-196)  
 Relinquished by: RS (Wetchem)