



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB112763

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	M1090-02	BORE-2-1FT-7FT	1	100.02	0.00	01/13/2021	10:35
2	M1090-02DUP	BORE-2-1FT-7FTDUP	1	100.03	0.00	01/13/2021	10:42
3	M1090-05	BORE-3-1FT-7FT	1	100.01	0.00	01/13/2021	10:50
4	M1091-01	OK-03-011221	1	100.04	0.00	01/13/2021	10:58

WORKLIST(Hardcopy Internal Chain)

LB 11 2763

WorkList Name : pf11321

WorkList ID : 145656

Department : Wet-Chemistry

Date : 01-13-2021 10:18:38

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
01/12/2021	Solid	M1090-02	Paint Filter	Cool 4 deg C	PSEG03	N12	BORE-2-1FT-7FT	01/12/2021	9095B
01/12/2021	Solid	M1090-05	Paint Filter	Cool 4 deg C	PSEG03	N12	BORE-3-1FT-7FT	01/12/2021	9095B
01/12/2021	Solid	M1091-01	Paint Filter	Cool 4 deg C	PSEG05	N12	OK-03-011221	01/12/2021	9095B

Date/Time 01/13/21 10:25
 Received by: KS (Wetchem)
 Relinquished by: AP (Ext Lab)

Date/Time 01/13/21 11:05
 Received by: AP (Ext. Lab)
 Relinquished by: KS (Wetchem)