



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB112777

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	M1120-01	AU-04-11321	1	100.02	0.00	01/14/2021	09:15
2	M1120-01DUP	AU-04-11321DUP	1	100.03	0.00	01/14/2021	09:25
3	M1121-02	NP-SP	1	100.01	0.00	01/14/2021	09:32
4	M1122-01	BU-02-011321	1	100.04	0.00	01/14/2021	09:40
5	M1123-01	355	1	100.02	0.00	01/14/2021	09:48
6	M1123-03	VW-SP	1	100.03	0.00	01/14/2021	09:55

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf11421

WorkList ID : 145692

Department : Wet-Chemistry

Date : 01-14-2021 08:56:22

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
01/13/2021	Solid	M1120-01	Paint Filter	Cool 4 deg C	PSEG05	N13	AU-04-11321	01/13/2021	9095B
01/13/2021	Solid	M1121-02	Paint Filter	Cool 4 deg C	PSEG03	N21	NP-SP	01/13/2021	9095B
01/13/2021	Solid	M1122-01	Paint Filter	Cool 4 deg C	PSEG05	N22	BU-02-011321	01/13/2021	9095B
01/13/2021	Solid	M1123-01	Paint Filter	Cool 4 deg C	PSEG03	N13	355	01/13/2021	9095B
01/13/2021	Solid	M1123-03	Paint Filter	Cool 4 deg C	PSEG03	N13	VW-SP	01/13/2021	9095B

Date/Time 01/14/21 09:00
 Received by: KS (Wetchem)
 Relinquished by: KS (Wetchem)

Date/Time 01/14/21 10:00
 Received by: KS (Wetchem)
 Relinquished by: KS (Wetchem)