



Analytical Summary Report

Analysis Method: 9045D

Analyst By : jignesh

Parameter: Corrosivity

Supervisor Review By : apatel

Run Number: LB112836

Slope : 98.3

BalanceID: WC SC-4

pH Meter ID : WC PH METER-1

Calibration Standards	Chemtech Log#
PH 4 BUFFER SOLUTION	W2718
buffer solution pH 7 yellow	W2627
PH 10.01 BUFFER,COLOR CD 475ML	W2633
buffer solution pH 7 yellow	W2719
Buffer Solution, PH2 (500ml)	W2592
Buffer Solution, PH12 (500ml)	W2616

True Value of ICV = 7.00 Control Limits[+/- 0.1].

True Value of CCV1 = 2.00 Control Limits[+/- 0.1].

True Value of CCV2 = 12.00 Control Limits[+/- 0.1].

Seq	LabID	DF	Matrix	Weight (gm)	Volume (ml)	Temperature (°C)	Result (pH)	Anal Date	Anal Time
1	CAL1	1	Water	NA	NA	21.1	4.01	01/18/2021	15:11
2	CAL2	1	Water	NA	NA	21.1	6.99	01/18/2021	15:12
3	CAL3	1	Water	NA	NA	21.1	10.03	01/18/2021	15:15
4	ICV	1	Water	NA	NA	21.2	7.01	01/18/2021	15:16
5	CCV1	1	Water	NA	NA	21.2	2.01	01/18/2021	15:19
6	M1159-02	1	Solid	20.03	20	20.7	7.75	01/18/2021	15:22
7	M1169-02	1	Solid	20.02	20	20.5	8.60	01/18/2021	15:24
8	M1169-02DUP	1	Solid	20.01	20	20.6	8.61	01/18/2021	15:25
9	CCV2	1	Water	NA	NA	21.3	12.02	01/18/2021	15:26

WORKLIST(Hardcopy Internal Chain)

✓ 112836

WorkList Name : CORROSIONITY M1169 WorkList ID : 145785 Department : Wet-Chemistry Date : 01-18-2021 15:05:47

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
01/15/2021	Solid	M1159-02	Corrosivity	Cool 4 deg C	PSEG03	N31	BORE-2-ALT	01/15/2021	9045D
01/18/2021	Solid	M1169-02	Corrosivity	Cool 4 deg C	DIST01	F41	TP-C	01/18/2021	9045D

Date/Time 01-18-2021 15:10
 Received by: JD (wet Chem)
 Relinquished by: CP (sm)

Date/Time 01-18-2021 14:00
 Received by: CP (sm)
 Relinquished by: JD (wet Chem)