



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB112935

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	M1236-02	L229R-WO(S)-1-14-1	1	100.02	0.00	01/27/2021	11:45
2	M1236-02DUP	L229R-WO(S)-1-14-1DU	1	100.01	0.00	01/27/2021	11:52
3	M1236-04	J2288R-WO(N)-1-13-1	1	100.03	0.00	01/27/2021	12:00
4	M1236-06	2922	1	100.01	0.00	01/27/2021	12:10
5	M1236-08	PS1419LN	1	100.02	0.00	01/27/2021	12:18
6	M1237-01	SU-01-012621	1	100.03	0.00	01/27/2021	12:25
7	M1238-01	HD-02-012621	1	100.01	0.00	01/27/2021	12:35

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF12721 WorkList ID : 146005 Department : Wet-Chemistry Date : 01-27-2021 11:30:25

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
01/26/2021	Solid	M1236-02	Paint Filter	Cool 4 deg C	PSEG03	H51	L229R-WO(S)-1-14-1	01/26/2021	9095B
01/26/2021	Solid	M1236-04	Paint Filter	Cool 4 deg C	PSEG03	H51	J2288R-WO(N)-1-13-1	01/26/2021	9095B
01/26/2021	Solid	M1236-06	Paint Filter	Cool 4 deg C	PSEG03	H51	2922	01/26/2021	9095B
01/26/2021	Solid	M1236-08	Paint Filter	Cool 4 deg C	PSEG03	H51	PS1419LN	01/26/2021	9095B
01/26/2021	Solid	M1237-01	Paint Filter	Cool 4 deg C	PSEG05	H51	SU-01-012621	01/26/2021	9095B
01/26/2021	Solid	M1238-01	Paint Filter	Cool 4 deg C	PSEG05	H51	HD-02-012621	01/26/2021	9095B

Date/Time 01/27/21 11:35
 Received by: KS (webchem)
 Relinquished by: RJ (EXT-106)

Date/Time 01/27/21 12:40
 Received by: RJ (EXT-106)
 Relinquished by: KS (webchem)